#### N25NTC03.TXT

#### NOTICE TO CONTRACTORS

CALL ORDER N25

STATE PROJECT NOS. S-34-2(1022)

PEP-25-1(1013)

PEP-6-2(1032)

LOCATION: ON US-34 EAST & WEST OF TRENTON, N-25 BETWEEN

JCT. N-25A & LINCOLN CO. LINE & US-6 BETWEEN

PALISADE AND US-34.

COUNTIES: HITCHCOCK HAYES

RED WILLOW

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2002 At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR:

BITUMINOUS

Length: 49.1 MILES

START DATE 04/15/02 WORKING DAYS 105

Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning February 19, 2002 at the Lincoln Central Office and February 25, 2002 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads' Web Site at http://www.dor.state.ne.us/letting/

Prequalification for bidding is required by Nebraska Revised Statute 39-1351-R.R.S. 1943.

A Department of Roads' Bid Bond Form for 5% of the bid must be submitted with the proposal. The successful bidder will furnish bond for 100% of the contract.

The contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, religion, sex, color, national origin, age or disability.

THE DEPARTMENT RESERVES THE RIGHT TO WAIVE ALL TECHNICALITIES AND REJECT ANY OR ALL BIDS.

DIRECTOR: JOHN L. CRAIG

DISTRICT ENGINEER: JAMES J. KNOTT

LIST OF PLANS

PROJECT NO. S-34-2(1022)

SHEET NO.

1 TITLE PAGE

2T TYPICAL CROSS SECTIONS 2S SUMMARY OF QUANTITIES

3 TEMPORARY PAVEMENT MARKING PLAN
4 TYPICAL PAVEMENT MARKING PLAN
5 VEHICLE SIGNING FOR PAINT STRIPING

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL 922-R5 TRAFFIC CONTROL DEVICES

PROJECT NO. PEP-25-1(1013)
1 TITLE PAGE

## N25NTC03.TXT

	NZ5NTCU3.TXT			
2T	TYPICAL CROSS SECTIONS			
2S	SUMMARY OF QUANTITIES			
3	TEMPORARY PAVEMENT MARKING PLAN			
4	TYPICAL PAVEMENT MARKING PLAN			
5	VEHICLE SIGNING FOR PAINT STRIPING			
STANDARD P	LANS			
920-R5	(2 SHEETS) TRAFFIC CONTROL			
922-R5	TRAFFIC CONTROL DEVICES			
PROJECT NO. PEP-6-2(1032)				
1	TITLE PAGE			
2T	TYPICAL CROSS SECTIONS			
2S	SUMMARY OF QUANTITIES			
3	TEMPORARY PAVEMENT MARKING PLAN			
4	TYPICAL PAVEMENT MARKING PLAN			
5	VEHICLE SIGNING FOR PAINT STRIPING			

### STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL 922-R5 TRAFFIC CONTROL DEVICES

PLANS (NOT INCLUDING STANDARDS) 18 SHEETS \$ 3.60 STANDARD PLANS 3 SHEETS .60

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

### GROUP 9 BITUMINOUS

DADDICADE EVER TIT	710	DD 3.17
BARRICADE, TYPE III		BDAY
TYPE B HIGH INTENSITY WARNING LIGHT		LDAY
TEMPORARY SIGN DAY	1,860	
SIGN DAY	22,477	
OVERLAY BROKEN LINES	5,181	
OVERLAY SOLID LINES	10,362	
	647,000	
FLAGGING		DAY
FURNISHING AND OPERATING PILOT VEHICLE		DAY
FIELD OFFICE		EACH
MOBILIZATION	LUMP	-
ARMOR COAT AGG	600	-
ASPH CONC FOR STATE MAINT PATCHING, TYPE	500	TON
SP2(0.5)		
ASPH CONC FOR STATE MAINT PATCHING, TYPE	500	TON
SP3(0.5)		
ASPH CONCRETE FOR PATCHING, TYPE	700	TON
SP2(0.5)		
ASPH CONCRETE FOR PATCHING, TYPE	200	TON
SP3(0.5)		
ASPH CONCRETE FOR PATCHING, TYPE	200	TON
SP4(0.5)		
ASPH CONC, TYPE SPS	5,150	TON
ASPH CONC, TYPE SP2(0.5)	37,270	TON
ASPH CONC, TYPE SP3(0.5)	12,760	TON
ASPH CONC, TYPE SP4(0.5)	28,170	TON
PERF GRAD BIND (64-22) FOR ST MAINT PATCH	•	TON
PERF GRADED BINDER (64-22)	4,282	TON
PERF GRADED BINDER (58-28)	•	TON
,		

# N25NTC03.TXT

ARMOR COAT EMUL ASPH	16,230	GAL
TACK COAT	119,220	GAL
RENTAL OF LOADER, FULLY OPERATED	245	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	245	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	245	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	245	HOUR
EARTH SHOULDER CONSTRUCTION	1,626	STA
COLD MILLING, CLASS 1	812	STA
COLD MILLING, CLASS 3	1,217	STA
COLD MILLING, CLASS 3	197	STA
TYPE A		
COLD MILLING, CLASS 3	164	STA
TYPE B		