

STATE OF NEBRASKA  
DEPARTMENT OF ROADS  
ADDENDUM NO. 1  
AND  
ELECTRONIC BIDDING SYSTEM  
AMENDMENT NO. 1  
PROJECT NO. S-80-9(1133)  
CONTROL NO. 12590  
CALL ORDER N03  
COUNTY ROAD AT N-63 NEAR GREENWOOD  
LETTING DATE: JUNE 27, 2002

The Schedule of Items for Group 9 is amended as follows:

1. The bid item "Performance Graded Binder (58-28)" is no longer needed on this project and has been removed as a bid item.
2. The bid item "Performance Graded Binder (64-22)" has been added as a bid item with a quantity of 178.740 Ton.

The EBS generated bid items sheet must show these corrections or the bid will be considered void.

\* \* \* \* \*

On page 19 of the Special Provisions, in the provision titled PERFORMANCE GRADED BINDER, the first paragraph in the section titled "I. Description" is amended to read:

The performance graded binder to be used on this project shall be PG Binder 64-22, supplied by a Certified Supplier.

\* \* \* \* \*

The Special Provisions are amended to include the following:

**SUPERPAVE ASPHALTIC CONCRETE  
(S5-6-1201)**

Asphaltic Concrete shall meet all specifications and be sampled and tested as shown in the Supplemental Specifications. Table 1028.18 of the Supplemental Specifications incentive - disincentive pay factors do not apply, however, any asphaltic concrete air void tests resulting in a 50% or reject pay factor as listed in the table will be subject to removal.

Paragraph 2.b. (2) of Subsection 503.06 of the Supplemental Specifications is void and superseded by the following:

Addendum No. 1  
Project No. S-80-9(1133)  
Page 2

For each subplot of Asphaltic Concrete Type SP1, SP2, SP3, SP4 and SP5, the asphaltic concrete unit price is multiplied by the average density per lot pay factor for the item "Asphaltic Concrete Type \_\_\_\_\_".

\* \* \* \* \*

Upon execution of the contract, the plans will be revised to reflect this change.

DEPARTMENT OF ROADS

Claude Oie  
Construction Engineer

Issued: June 11, 2002

CO:n03ad106

NOTICE: Only the contractors issued bidding proposals receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the contractor.