

NOTICE TO CONTRACTORS

CALL ORDER F09  
 FEDERAL PROJECT NO. NH-81-3(134)  
 LOCATION: US-81, SOUTH OF COLUMBUS  
 COUNTIES: PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2002 At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR:

BRIDGES

START DATE 05/19/03 WORKING DAYS 110  
 Price Range \$ 500,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %.

Plans and specifications may be seen beginning August 13, 2002 at the Lincoln Central Office and August 19, 2002 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads' Web Site at <http://www.dor.state.ne.us/letting/>

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

LIST OF PLANS

SHEET NO.	
1	TITLE PAGE
2	INDEX OF SHEETS
2T	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
2W1-2W2	WETLANDS
2N	GENERAL INFORMATION
3 - 4	PLAN SHEETS
5 - 6	TYPICAL TRAFFIC CONTROL--PHASES
7	TRAFFIC CONTROL PLAN--LANE CLOSURE
8 - 23	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 370+21.00
24 - 27	SPECIAL PLAN 1C 6 TO 16 INCH CONCRETE PAVEMENT
28 - 33	SPECIAL PLAN 2C GUARDRAIL PLAN
34	SPECIAL PLAN 3C SILT FENCE DETAILS

STANDARD PLANS

301-R8	(3 SHEETS) PAVEMENT DETAILS
501-R3	EROSION CONTROL
920-R5	(2 SHEETS) TRAFFIC CONTROL
921-R4	TRAFFIC CONTROL

PLANS (NOT INCLUDING STANDARDS)	39 SHEETS	\$ 7.80
STANDARD PLANS	7 SHEETS	1.40

F09NTC09.TXT

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 370+21

EROSION CONTROL	2,320	SY
FABRIC SILT FENCE-LOW POROSITY	490	LF
BARRICADE, TYPE II	14,550	BDAY
BARRICADE, TYPE III	1,170	BDAY
TYPE B HIGH INTENSITY WARNING LIGHT	420	LDAY
SIGN DAY	7,440	EACH
PAVEMENT MARKING REMOVAL	4,000	LF
TEMP PVMT MARKING, TYPE II	24,000	LF
TUBULAR POST	14	EACH
FLASHING ARROW PANEL	390	DAY
FLAGGING	20	DAY
INSTALL CONC PROTECT BARRIER	370	LF
RELOCATE CONC PROTECTION BARRIER	370	LF
REPLACEMENT MODULE	5	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
ROADWAY GRADING	4	STA
REMOVE PAVEMENT	1,337	SY
REMOVE CURB	920	LF
REMOVE CONCRETE MEDIAN SURFACING	1,187	SY
CONC 47B-3500 CURB TYPE II	920	LF
6" CONC CLASS 47B-3000 MEDIAN SURFACING	868	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	403	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	39,795	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	234	CY
47BD-4000 CONC FOR BRIDGE	707	CY
REMOVE STRUCTURE	1	EACH
AT STA. 370+13.5		
STRUC STEEL FOR SUBSTRUCTURE	3,630	LB
BROKEN CONCRETE RIPRAP	582	TON
EPOXY COATED RE-STEEL	152,950	LB
SUBSURFACE DRAINAGE MATTING	105	SY
PIPE PILING	3,400	LF
STEEL SHEET PILING	5,960	SF
TEMP BRIDGE SHORING	LUMP	LUMP
BRIDGE SHORING	LUMP	LUMP
W-BEAM GUARDRAIL	162	LF
REMOVE GUARDRAIL	250	LF
IMPACT ATTENUATOR	2	EACH
RELOCATE IMPACT ATTENUATOR	2	EACH
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH
GRANULAR BACKFILL	260	CY
SURFACING 8"	868	SY

□

GROUP 6 BRIDGE AT STA. 370+21

RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR

F09NTC09.TXT

RENTAL OF SKID LOADER, FULLY OPERATED  
SURFACE UNDER GUARDRAIL

5 HOUR  
188 SY

□