

STATE OF NEBRASKA  
DEPARTMENT OF ROADS  
ADDENDUM NO. 1  
CALL ORDER F07  
LETTING DATE: NOVEMBER 14, 2002

PROJECT NO.	CONTROL NO.	LOCATION
EACNH-680-9(791)	21835	W DODGE BRIDGE OVER I-680
EACBH-680-9(794)	21838	W DODGE BRIDGE OVER REGENCY PKWY
EACIM-680-9(796)	21840	I-680 W DODGE RD INTERCHANGE
EACNH-EACBH-6-7(160)	21880	US-6 AT BIG PAPIO CREEK
EACNH-6-7(161)	21881	US-6 BRIDGES OVER 108 <sup>TH</sup> ST.

On page 54 of the Special Provisions, the heading "**IV. PHASE 3 - ....Dec. 2005]**" is amended to read"

**IV. PHASE 3 – WB West Dodge Road [July 2004 to Dec. 2004]**

\* \* \* \* \*

The Special Provisions are amended to include the following:

**OVERHEAD SIGN SUPPORTS  
FOR DYNAMIC MESSAGE SIGNS**

Section 418 in the Supplemental Specifications is amended to provide that the Contractor will be required to design the concrete foundation. Foundation design shall be based on test results of soil borings taken from each overhead sign support. Soil borings, soil analysis and foundation design must be performed by individuals proficient in that line of work.

The Contractor shall submit two complete Geotechnical Engineering Reports showing the soil analysis of the borings taken at each of the sign support locations; eight complete sets of foundation design drawings together with eight complete sets of foundation design computations to the Traffic Engineer for review.

The foundation design drawings and computations must be signed and stamped by a registered professional engineer, licensed in Nebraska. Acceptance by the State of the foundation design(s) will be based upon this seal and signature.

The foundation design and geotechnical work will not be measured for payment, but shall be considered subsidiary to the item "Overhead Sign Support, Location \_\_\_\_\_".

\* \* \* \* \*

On plan sheet 107 of Project EACIM-680-9(796), the table titled SOILS INFORMATION is void.

\* \* \* \* \*

Upon execution of the contract, the plans will be revised to reflect this change.

DEPARTMENT OF ROADS

Claude Oie  
Construction Engineer

Issued: October 25, 2002

CO:CC:F07AD111

NOTICE: Only the contractors issued bidding proposals receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the contractor.