

NOTICE TO CONTRACTORS

CALL ORDER F23
FEDERAL PROJECT NO. EACSTPD-L17E(106)
LOCATION: JCT. L17E/US-30 IN SUNOL.
COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 13, 2003 . At that time the bids will be opened and read for GRAD CULV BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS BITUMINOUS
START DATE 08/23/2004 WORKING DAYS 35
Price Range \$ 100,000 to \$ 500,000

Plans and specifications may be seen beginning October 21, 2003 at the Lincoln Central Office and October 27, 2003 at the District Engineer's Office at BRIDGEPORT
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for both Call Order No. F23, {Project No. EACSTPD-L17E(106)} and Call Order No. F18, {Project No. STPD-30-1(121)}.

Award of Contract, if awarded, will be made on the combined bid for both contracts.
Separate contracts will be awarded for each Call Order Number.
Please order plans and proposals accordingly.

PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	28 SHEETS	\$ 5.60
CROSS SECTIONS (SHEETS X1 THRU 14X)	14 SHEETS	\$ 2.80
STANDARD PLANS	13 SHEETS	\$ 2.60

SHEET NO.

1	TITLE PAGE
2T1-2T2	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2N	GENERAL INFORMATION
3	PLAN & PROFILE SHEET
4	PLAN SHEET
5 - 7	TYPICAL URBAN TRAFFIC CONTROL PLAN
8	TYPICAL PAVEMENT MARKING PLAN
9	TEMPORARY PAVEMENT MARKING PLAN
10 - 11	DRAINAGE STRUCTURE CROSS SECTIONS
12 - 15	SPECIAL PLAN 1C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE, MCCMP, PCCMP, & PLASTIC PIPE
16	SPECIAL PLAN 2C DOWELING INTO EXISTING CONCRETE BOX CULVERT FOR CULVERT EXTENSION
17 - 19	SPECIAL PLAN 3C 12' X 4' SINGLE SPAN RC BOX CULVERT STA. 150+54.00
20 - 21	SPECIAL PLAN 4C 12' X 4' SINGLE SPAN RC BOX CULVERT STA. 152+68.00
22 - 23	SPECIAL PLAN 5C SAFETY SLOPED END SECTIONS CORRUGATED METAL & CONCRETE PIPE
R1	RIGHT-OF-WAY SHEET
X1 - X14	CROSS SECTIONS

STANDARD PLANS

301-R8	(3 SHEETS) PAVEMENT DETAILS
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
435-R1	(3 SHEETS) MANHOLE
920-R5	(2 SHEETS) TRAFFIC CONTROL
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION		LUMP	LUMP
LARGE TREE REMOVAL	1		EACH
GENERAL CLEARING AND GRUBBING		LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,167		CY
WATER	35		MGAL
REMOVE ASPHALT SURFACE	1,224		SY
REMOVE DRIVEWAY	276		SY
REMOVE GUARDRAIL	181		LF

GROUP 4 CULVERTS

MOBILIZATION		LUMP	LUMP
CAST IRON COVER & FRAME	500		LB
MANHOLE	1		EACH
AT STA. 581+79 66'LT.			
REMOVE HEADWALLS FROM CULV	3		EACH
PREPARATION OF STRUCTURE	1		EACH
AT STA. 150+54			
REMOVE STRUCTURE	1		EACH
AT STA. 152+94			
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	328		CY
EXCAVATION FOR BOX CULVERTS	561		CY
47B-3000 OR AX-3000 CONC FOR BOX CULV	171		CY
RE-STEEL FOR BOX CULVERT	22,333		LB
24" FLARED-END SECTION	1		EACH
36" FLARED-END SECTION	4		EACH
48" FLARED-END SECTION	1		EACH
42" RND EQUIV FLARED-END SECTION	1		EACH
42" RD EQUIV SAFETY SLOPED END SECTION	1		EACH
CULVERT SANDFILL	21		CY
36" CULV PIPE 3,4,5	112		LF
48" CULV PIPE 3,4,5	56		LF
42" RND EQ CULV PIPE 3,4,5	70		LF
24" STORM SEWER PIPE 3,4 OR 5	56		LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	9		STA
MOBILIZATION		LUMP	LUMP
GRAVEL SURFACE COURSE	5		CY
CONCRETE 47B-3500 MEDIAN CURB	119		LF
CONC 47B-3000 MEDIAN SURFACING	32		SY
CONCRETE CLASS 47B-3500 ISLAND NOSE	1		EACH
4" WHT PREF PVMT MRKING T-4	800		LF
4" YEL PREF PVMT MRKING T-4	700		LF
12" WHT PREF PVMT MRKING T-4	36		LF
HYDRATED LIME	4		TON
HYDRATED LIME SLURRY STABILIZATION	5		STA
ASPH CONCRETE FOR PATCHING, TYPE SP4	100		TON
ASPH CONC, TYPE SP4(0.5)	1,040		TON
PLACE ASPH CONC FOR DRIVE & INTER	851		SY
PERF GRADED BINDER (64-28)	61		TON

PREP OF INTER & DRIVE	851	SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION	1,052	GAL
TACK COAT	423	GAL
WATER	4	MGAL
EARTH SHOULDER CONSTRUCTION	17	STA
TRENCHED WIDENING	10	STA
COLD MILLING, CLASS 3		1 STA
SEEDING, TYPE B		1 ACRE
MULCH		1 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	783	BDAY
SIGN DAY	986	EACH
CONTRACTOR FURNISHED SIGN DAY	142	EACH
FLAGGING	20	DAY
FIELD OFFICE	1	EACH
MOBILIZATION		LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOURL
RENTAL OF MOTOR GRADER, FULLY OPERATED	10	HOURL
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOURL
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOURL