

April 19, 2007

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office May 17, 2007 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, May 7, 2007.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: <http://www.dor.state.ne.us/>

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: NDOR_Contract_Lettings@dor.state.ne.us

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803 Phone: (402) 479-4525
Email: NDOR_Contract_Lettings@dor.state.ne.us

January 1, 2006

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. BRO-7066(25)
 LOCATION: ON A COUNTY ROAD, PALMYRA SOUTHEAST
 COUNTIES: OTOE

The Nebraska Department of Roads will receive sealed bids for OTOE COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for GRAD CULV BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/09/2007 WORKING DAYS 80
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	23	SHEETS	\$	5.75
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION OF IMPROVEMENT
2S	SUMMARY OF QUANTITIES
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTIONS
5 - 11	SPECIAL PLAN 1 DECK STEEL GIRDER BRIDGE STA. 14+19
12 - 19	SPECIAL PLAN 1C GUARDRAIL PROTECTION
20	SPECIAL PLAN 2C CONCRETE HEADWALL STA. 14+45.5
21	SPECIAL PLAN 3C SILT FENCE DETAILS
R1	RIGHT-OF-WAY SHEET
X1 - X5	ROADWAY CROSS SECTIONS

STANDARD PLANS

M410	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		3 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		267 kL
EARTHWORK MEASURED IN EMBANKMENT		5,330 m3
REM DRIVEWAY CULVERT PIPE		6 m

GROUP 1 GRADING

600 mm CMP FOR DRIVEWAY CULVERT PIPE	12 m
CRUSHED ROCK SURFACE COURSE	82 Mg
600 mm METAL FLARED-END SECTION	2 EACH
GRANULAR BACKFILL	95 m3
SEEDING, TYPE A	1 ha
COVER CROP SEEDING	1 ha
FABRIC SILT FENCE-HIGH POROSITY	148 m
MULCH	7 Mg

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		748 m3
47B-20 CONC FOR HDWL		9 m3
RE-STEEL FOR HEADWALL		380 kg
600 mm CORRUGATED METAL PIPE		38 m
1500 mm CORRUGATED METAL PIPE		60 m
600 mm METAL FLARED-END SECTION		4 EACH

GROUP 6 BRIDGE AT STA. 14+19

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		974 m2
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE		12 EACH
FIXED BEARING		4 EACH
47B-20 CONC FOR BRIDGE		102 m3
47BD-30 CONC FOR BRIDGE		121 m3
REMOVE STRUCTURE		1 EACH
AT STA. 14+20.06		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 14+19.00		
STRUC STEEL FOR SUBSTRUCTURE		2,165 kg
ROCK RIPRAP, TYPE B		936 Mg
EPOXY COATED RE-STEEL		19,980 kg
HP 250 mm X 62 kg STEEL PILING		709 m
STEEL SHEET PILING		285 m2

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS		2 EACH
MELT		2 EACH

GROUP 10 GENERAL

BARRICADE, TYPE III		1,380 BDAY
SIGN DAY		1,840 EACH
CONTRACTOR FURNISHED SIGN DAY		460 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		7 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		7 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		7 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		7 HOUR
TEMPORARY SILT FENCE		100 m

NOTICE TO CONTRACTORS

CALL ORDER 205
 STATE PROJECT NO. S-30-7(1016)
 LOCATION: US-30, IN BLAIR
 COUNTIES: WASHINGTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 10/01/2007 WORKING DAYS 30
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	22	SHEETS	\$	5.50
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$	2.25
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2T1	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
2A1	PHOTO MAP
2N1	GENERAL INFORMATION
2P1	PHASING PLANS
2L1-2L4	GEOMETRICS & GRADES
2L5-2L8	CONSTRUCTION & REMOVAL
3 - 4	PLAN & PROFILE SHEETS
5 - 7	TYPICAL URBAN TRAFFIC CONTROL PLAN
8	PAVEMENT MARKING PLAN
9	PAVEMENT MARKING DETAILS
10	EARTHWORK DATA SHEET
X1 - X9	CROSS SECTIONS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	8,250 BDAY
BARRICADE, TYPE III	1,100 BDAY
SIGN DAY	1,430 EACH
CONTRACTOR FURNISHED SIGN DAY	1,045 EACH
PAVEMENT MARKING REMOVAL	750 LF
TEMP PVMT MARKING, TYPE PAINT	500 LF
TEMP PVMT MARKING SURF PREP	150 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	1,195 LF
FLASHING ARROW PANEL	110 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
EXCAVATION (ESTABLISHED QUANTITY)	523 CY
REMOVE PAVEMENT	11,897 SY
TIE BARS	1,090 EACH
10" CONC PVMT, 47B-3500	1,220 SY
10" DOWELED CONC PVMT, 47B-3500	10,677 SY
HANDICAPPED SYMBOL	5 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	4 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	1,215 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	3,960 LF
12" WHT PREF PVMT MRKING T-4 GROOVED	195 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	240 LF
FOUNDATION COURSE	11,897 SY
2"	
WATER	36 MGAL
SUBGRADE PREPARATION	11,897 SY
ADJUST VALVE BOX TO GRADE	8 EACH

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. BR-2607(1)
 LOCATION: ON A COUNTY ROAD, CLEARWATER SOUTH
 COUNTIES: ANTELOPE

The Nebraska Department of Roads will receive sealed bids for ANTELOPE COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for GRAD,BR,GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/02/2007 WORKING DAYS 85
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at NORFOLK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	24	SHEETS	\$	6.00
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION OF IMPROVEMENT
2S	SUMMARY OF QUANTITIES
3	PLAN & PROFILE SHEET
4	CONSTRUCTION DETAILS
5 - 13	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 37+95.00
14 - 21	SPECIAL PLAN 1C GUARDRAIL PROTECTION
22	TYPICAL PAVEMENT MARKING PLAN
R1	RIGHT-OF-WAY SHEET
X1 - X7	CROSS SECTIONS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

PERMANENT PAVEMENT MARKING PAINT		1,305	LF
MOBILIZATION	LUMP		LUMP
LARGE TREE REMOVAL		5	EACH
GENERAL CLEARING AND GRUBBING	LUMP		LUMP

GROUP 1 GRADING

EXCAVATION (ESTABLISHED QUANTITY)	1,872	CY
WATER	23	MGAL
REMOVE ASPHALT SURFACE	742	SY
CLAY SURFACE COURSE	879	CY
8" CONC PVMT, 47B-3500	645	SY
EARTH SHOULDER CONSTRUCTION	3	STA
SUBGRADE PREPARATION	645	SY
SEEDING, TYPE A	1	ACRE
SEEDING, TYPE B	1	ACRE
COVER CROP SEEDING	2	ACRE
FABRIC SILT FENCE-LOW POROSITY	620	LF
MULCH	4	TON

GROUP 6 BRIDGE AT STA. 37+95

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		736 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		156 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		16,506 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		148 CY
47BD-4000 CONC FOR BRIDGE		322 CY
REMOVE STRUCTURE		1 EACH
AT STA. 37+82		
STRUC STEEL FOR SUBSTRUCTURE		4,775 LB
ROCK RIPRAP, TYPE B		504 TON
EPOXY COATED RE-STEEL		66,695 LB
HP 10"X42# STEEL PILING		3,350 LF
STEEL SHEET PILING		3,692 SF
GRANULAR BACKFILL		110 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS		4 EACH
MELT		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		1,836 BDAY
SIGN DAY		2,448 EACH
CONTRACTOR FURNISHED SIGN DAY		612 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		500 LF

NOTICE TO CONTRACTORS

CALL ORDER 310
FEDERAL PROJECT NO. BRO-7054(16)
LOCATION: ON A COUNTY ROAD NORTHWEST OF CROFTON
COUNTIES: KNOX

The Nebraska Department of Roads will receive sealed bids for
KNOX COUNTY in Room 104 of the Central Office Building at
1500 Hwy 2 at Lincoln, until 1:30 P.M. on May 17, 2007 .
At that time the bids will be opened and read for
GRAD CULV SEED BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/23/2007 WORKING DAYS 70
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln
Central Office and April 30, 2007 at the District Engineer's Office at NORFOLK
Additional letting information may be found at the Nebraska Department of Roads
Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	24	SHEETS	\$	6.00
CROSS SECTIONS (SHEETS X1 THRU X6)	6	SHEETS	\$	1.50
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION OF IMPROVEMENT
2S	SUMMARY OF QUANTITIES
2N	GENERAL INFORMATION
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTIONS
5 - 12	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 10+27.00
13 - 20	SPECIAL PLAN 1C GUARDRAIL PROTECTION
21	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1	RIGHT-OF-WAY INFORMATION
X1 - X6	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		7 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		6,884 CY
WATER		7 MGAL
24" DRIVEWAY CULVERT PIPE		114 LF
CRUSHED ROCK SURFACE COURSE		245 CY
COVER CROP SEEDING		3 ACRE
EROSION CHECKS		66 BALE
FABRIC SILT FENCE-LOW POROSITY		400 LF
FABRIC SILT FENCE-HIGH POROSITY		60 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		101 CY
24" CULVERT PIPE		172 LF
24" FLARED-END SECTION		2 EACH

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		3 ACRE
MULCH		7 TON

GROUP 6 BRIDGE AT STA. 10+27

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		1,089 SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		142 CY
47BD-4000 CONC FOR BRIDGE		213 CY
RE-STEEL FOR BRIDGE		49,510 LB
REMOVE STRUCTURE		1 EACH
STRUC STEEL FOR SUBSTRUCTURE		2,150 LB
ROCK RIPRAP, TYPE B		843 TON
HP 10"X42# STEEL PILING		1,240 LF
STEEL SHEET PILING		1,893 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS		4 EACH
MELT		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		1,848 BDAY
SIGN DAY		2,112 EACH
CONTRACTOR FURNISHED SIGN DAY		528 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		20 HOUR
FABRIC SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 400 STPP-81-2(141)
 LOCATION: US-81, IN YORK
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 10/01/2007 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	11	SHEETS	\$	2.75
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	12	SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2T1-2T2	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
2N	GENERAL INFORMATION
3	PLAN SHEET--CONSTRUCTION & REMOVAL
4	PLAN SHEET--GEOMETRICS
5 - 7	TYPICAL URBAN TRAFFIC CONTROL PLAN
8	PAVEMENT MARKING PLAN
X1 - X4	CROSS SECTIONS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R4	(3 SHEETS) EROSION CONTROL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	2,720	B	DAY
BARRICADE, TYPE III	340	B	DAY
SIGN DAY	544	E	EACH
CONTRACTOR FURNISHED SIGN DAY	204	E	EACH
FLASHING ARROW PANEL	68	D	DAY
FLAGGING	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	193	C	Y
REMOVE PAVEMENT	126	S	Y
REMOVE ASPHALT SURFACE	167	S	Y
TIE BARS	155	E	EACH
CONC 47B-3500 CURB TYPE II	366	L	LF

GROUP 3 CONCRETE PAVEMENT

7" CONC CLASS 47B-3000 MEDIAN SURFACING	91 SY
9" CONC PVMT, 47B-3500	724 SY
4" YEL PREF PVMT MRKNG, T-4, GROOVED	1,800 LF
8" WHITE PREF PVMT MRKING T-4 GROOVED	1,050 LF
12" YEL PREF PVMT MRKING T-4 GROOVED	550 LF
FOUNDATION COURSE	724 SY
4"	
RENTAL OF LOADER, FULLY OPERATED	1 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	1 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	1 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	1 HOUR
WATER	3 MGAL
EARTH SHOULDER CONSTRUCTION	1 STA
SUBGRADE PREPARATION	724 SY
CONCRETE SURFACE MILLING	132 SY
EROSION CONTROL, CLASS 1C	99 SY
TEMPORARY SILT FENCE	100 LF

NOTICE TO CONTRACTORS

CALL ORDER 405
 STATE PROJECT NO. STR-80-6(1029)
 LOCATION: I-80, SHELTON INTERCHANGE
 COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 09/10/2007 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2S SUMMARY OF QUANTITIES
- 3 TYPICAL TRAFFIC CONTROL PLAN FOR
LANE CLOSURE WITH CONCRETE BARRIER
- 4 SPECIAL PLAN 1C EXPANSION JOINT REPAIR
REF. POST NO. 291+39
- 5 SPECIAL PLAN 2C SILICA-FUME CONCRETE
DECK REPAIR
REF. POST NO. 291+39

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 291+39 RT

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT		88 LF
CLASS II REPAIR		15 SY
CLASS III REPAIR		1 SY
CONCRETE FOR BRIDGES SF		2 CY
PREP BRIDGE		1 EACH
AT R.P. 219+39 RT		

GROUP 6A BRIDGE AT R.P. 291+39 LT

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT		88 LF
CLASS II REPAIR		20 SY
CLASS III REPAIR		1 SY
CONCRETE FOR BRIDGES SF		3 CY
PREP BRIDGE		1 EACH
AT R.P. 291+39 LT		

GROUP 10 GENERAL

BARRICADE, TYPE II	2,016	BDAY
BARRICADE, TYPE III	192	BDAY
SIGN DAY	1,536	EACH
PAVEMENT MARKING REMOVAL	6,040	LF
TEMP PVMT MARKING, TYPE PAINT	13,400	LF
FLASHING ARROW PANEL	48	DAY
INSTALL CONC PROTECT BARRIER	520	LF
RELOCATE CONC PROTECTION BARRIER	1,560	LF
RELOC INERTIAL BARRIER SYSTEM	3	EACH
INERTIAL BARRIER SYSTEM	1	EACH
REPLACEMENT MODULE	1	EACH
TRAFFIC CONTROL MANAGEMENT	48	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 505
 FEDERAL PROJECT NO. STPD-87-4(115)
 LOCATION: N-87, NE/SD LINE SOUTH (RESURF)
 COUNTIES: SHERIDAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007 . At that time the bids will be opened and read for GRAD SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.5 MILES
 START DATE 07/09/2007 WORKING DAYS 70
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at BRIDGEPORT
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	74	SHEETS	\$	18.50
CROSS SECTIONS (SHEETS X1 THRU X34)	34	SHEETS	\$	8.50
STANDARD PLANS	15	SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2T1-2T3	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES
2K1-2K3	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2W1-2W5	WETLANDS
2H1	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1-2N2	GENERAL INFORMATION
2P1-2P2	PHASING PLANS
2L1-2L9	EROSION CONTROL
3 - 11	PLAN & PROFILE SHEETS
12	TEMPORARY PAVEMENT MARKING PLAN
13 - 14	EARTHWORK DATA SHEETS
15 - 23	DRAINAGE STRUCTURE CROSS SECTIONS
24	SPECIAL PLAN 1 CONCRETE GIRDER BRIDGE (NU-1600) EARTHWORK & RIPRAP STA. 619+37.37
25	SPECIAL PLAN 2 CONCRETE GIRDER BRIDGE (NU-1600) EARTHWORK FOR CHANNEL STA. 722+54.30
26 - 29	SPECIAL PLAN 1C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE
30	SPECIAL PLAN 2C CONCRETE HEADWALL
31	SPECIAL PLAN 3C GRATE INLET TYPE VII
32 - 33	SPECIAL PLAN 4C AREA INLET & CONCRETE APRON
34	SPECIAL PLAN 5C CONCRETE FLUME, TYPE I
35 - 42	SPECIAL PLAN 6C GUARDRAIL PLAN
43 - 44	SPECIAL PLAN 7C MAILBOX SUPPORT POST
45	SPECIAL PLAN 8C MAILBOX TURNOUT
46 - 47	SPECIAL PLAN 9C TEMPORARY SILT CHECKS
48	SPECIAL PLAN 10C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
X1 - X34	CROSS SECTIONS

STANDARD PLANS

301-R9 (3 SHEETS) PAVEMENT DETAILS
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 501-R4 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		5 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		34,405 CY
WATER		276 MGAL
SALVAGING AND STOCKPILING TOPSOIL		4,325 CY
RIPRAP FILTER FABRIC		112 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		50 LF
CAST IRON GRATE & FRAME		650 LB
REMOVE HEADWALLS FROM CULV		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		249 CY
47B-3000 CONC FOR HDWL		1 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		3 CY
RE-STEEL FOR HEADWALL		197 LB
RE-STEEL FOR INLET & JCT BOX		250 LB
24" METAL FLARED-END SECTION		6 EACH
48" METAL FLARED-END SECTION		1 EACH
REMOVE STRUCTURE		1 EACH
AT STA. 619+32.30 LT.		
REMOVE STRUCTURE		1 EACH
AT STA. 722+83.96 LT.		
ROCK RIPRAP, TYPE A		47 TON
REMOVE & SALVAGE GUARDRAIL		1,750 LF
COVER CROP SEEDING		22 ACRE
TEMPORARY SEEDING		1 ACRE
EROSION CONTROL, CLASS 1C		2,375 SY
EROSION CONTROL, CLASS 1D		6,599 SY
EROSION CONTROL, CLASS 2A		271 SY
EROSION CONTROL, CLASS 2C		541 SY
EROSION CHECKS, TYPE 1D		241 BALE
EROSION CHECKS, TYPE 2A		12 BALE
EROSION CHECKS, TYPE 2C		16 BALE
FABRIC SILT FENCE-LOW POROSITY		2,689 LF
48" CULV PIPE 3,4,5		20 LF
24" CULV PIPE 3,4,5,6		215 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		11 ACRE
SEEDING, TYPE B		11 ACRE
MULCH		44 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		275 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		8 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		135 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		135 SY
MAILBOX POST		1 EACH
COMB CONC 47B-3500 CURB & GUTTER		663 LF
FLUME SPILLWAY		25 LF
CONCRETE FLUME, TYPE I		2 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		175 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		3 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.375)		300 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.375)		300 TON
ASPH CONC, TYPE SP4(0.375)		17,132 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,084 SY
TEMPORARY SURFACING		1,798 SY
8"		
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		18 TON
PERF GRADED BINDER (64-28)		1,045 TON
CONSTRUCTING ASPH CONC CURB		589 LF
PREP OF INTER & DRIVE		3,084 SY
TACK COAT		11,135 GAL
WATER		167 MGAL
EARTH SHOULDER CONSTRUCTION		463 STA
SUBGRADE PREPARATION		16,944 SY
COLD MILLING, CLASS 3		178 STA
COLD MILLING, CLASS 4		14,622 SY
CONC SURF MILLING		234 SY
SURFACE UNDER GUARDRAIL		676 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		18,625 BDAY
BARRICADE, TYPE III		794 BDAY
TEMPORARY SIGN DAY		490 EACH
SIGN DAY		5,578 EACH
CONTRACTOR FURNISHED SIGN DAY		72 EACH
OVERLAY BROKEN LINES		710 STA
OVERLAY SOLID LINES		1,420 STA
FLAGGING		70 DAY
FURNISHING AND OPERATING PILOT VEHICLE		35 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		60 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		40 HOUR
TEMPORARY SILT CHECK		700 LF
TEMPORARY SILT FENCE		1,500 LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 510
FEDERAL PROJECT NO. STPE-1010(5)
LOCATION: ON A COUNTY ROAD SOUTHEAST OF HARRISBURG.
COUNTIES: BANNER

The Nebraska Department of Roads will receive sealed bids for
BANNER COUNTY in Room 104 of the Central Office Building at
1500 Hwy 2 at Lincoln, until 1:30 P.M. on May 17, 2007 .
At that time the bids will be opened and read for
GRAD,CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
WHO IS QUALIFIED FOR: CULVERTS

START DATE 08/20/2007 WORKING DAYS 55
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln
Central Office and April 30, 2007 at the District Engineer's Office at BRIDGEPORT
Additional letting information may be found at the Nebraska Department of Roads
Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	24	SHEETS	\$	6.00
CROSS SECTIONS (SHEETS X1 THRU X6)	6	SHEETS	\$	1.50
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION OF IMPROVEMENTS
2S	SUMMARY OF QUANTITIES
3 - 4	PLAN & PROFILE SHEETS
5 - 8	CULVERT REMOVAL CROSS SECTIONS
9 - 12	DRAINAGE STRUCTURE CROSS SECTIONS (STA. 103+06.22)
13 - 14	SPECIAL PLAN 1C 8' X 8' TRIPLE SPAN RC BOX CULVERT STA. 103+06.22
15 - 18	DRAINAGE STRUCTURE CROSS SECTIONS (STA. 203+21.43)
19 - 20	SPECIAL PLAN 2C 8' X 8' TRIPLE SPAN RC BOX CULVERT STA. 203+21.43
21	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R2	RIGHT-OF-WAY INFORMATION
X1 - X6	CROSS SECTIONS

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		58 MGAL
EARTHWORK MEASURED IN EMBANKMENT		2,896 CY
GRAVEL SURFACE COURSE		174 CY
CRUSHED ROCK EMBEDMENT		10 STA
CRUSHED ROCK SURFACE COURSE		174 CY
REMOVE & SALVAGE GUARDRAIL		355 LF
RENTAL OF LOADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		20 HOUR
SEEDING, TYPE A		2 ACRE
COVER CROP SEEDING		2 ACRE
EROSION CHECKS		84 BALE
FABRIC SILT FENCE-LOW POROSITY		1,357 LF
MULCH		5 TON

GROUP 4 CULVERT AT STA. 103+06.22

MOBILIZATION	LUMP	LUMP
REMOVE CULVERT PIPE		150 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		442 CY
EXCAVATION FOR BOX CULVERTS		380 CY
47B-3000 CONC FOR BOX CULV		189 CY
RE-STEEL FOR BOX CULVERT		19,129 LB
REMOVE STRUCTURE		1 EACH
AT STA. 103+18.71		

GROUP 4A CULVERT AT STA. 203+21.43

MOBILIZATION	LUMP	LUMP
REMOVE CULVERT PIPE		168 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		527 CY
EXCAVATION FOR BOX CULVERTS		315 CY
47B-3000 CONC FOR BOX CULV		166 CY
RE-STEEL FOR BOX CULVERT		16,810 LB
REMOVE STRUCTURE		1 EACH
AT STA. 203+13.99		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		1,608 BDAY
SIGN DAY		2,144 EACH
CONTRACTOR FURNISHED SIGN DAY		268 EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. STPD-BR-89-3(104)
 LOCATION: N-89, IN ORLEANS & WEST
 COUNTIES: HARLAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for GRAD CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 3.2 MILES
 START DATE 07/02/2007 WORKING DAYS 205
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	179	SHEETS	\$ 44.75
CROSS SECTIONS (SHEETS X1 THRU X87)	87	SHEETS	\$ 21.75
STANDARD PLANS	28	SHEETS	\$ 7.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2T1-2T7	TYPICAL CROSS SECTIONS
2S1-2S4	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2W1-2W7	WETLANDS
2H	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1-2N4	GENERAL INFORMATION
2P	PHASING PLANS
2L1-2L5	IN ORLEANS
3 - 9	PLAN & PROFILE SHEETS
10 - 12	TYPICAL URBAN TRAFFIC CONTROL PLAN
13	TEMPORARY PAVEMENT MARKING PLAN
14	PAVEMENT MARKING PLAN
15	PAVEMENT MARKING DETAILS
16	TYPICAL PAVEMENT MARKING PLAN
17 - 19	EARTHWORK DATA SHEETS
20 - 23	DRAINAGE STRUCTURE CROSS SECTIONS
24 - 47	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE (NU1800) STA. 402+45.00
48 - 71	SPECIAL PLAN 2 STEEL GIRDER BRIDGE STA. 402+45.00
72 - 84	SPECIAL PLAN 3 CONCRETE GIRDER BRIDGE (IT-300) STA. 435+85.00
85 - 97	SPECIAL PLAN 4 CONCRETE GIRDER BRIDGE (IT-300) STA. 441+10.00
98 - 110	SPECIAL PLAN 5 CONCRETE GIRDER BRIDGE (IT-300) STA. 447+50.00
111 - 126	SPECIAL PLAN 6 CONCRETE GIRDER BRIDGE (IT-400) STA. 455+72.50
127 - 129	SPECIAL PLAN 1C CONCRETE FLUME, SHOULDER INLET, & SPLASH BASIN
130	SPECIAL PLAN 2C CURB RAMPS
131 - 140	SPECIAL PLAN 3C GUARDRAIL PLAN
141 - 142	SPECIAL PLAN 4C MAILBOX SUPPORT POST
143	SPECIAL PLAN 5C MAILBOX TURNOUT

144 SPECIAL PLAN 6C EROSION CHECKS (ALL TYPES)
 & FABRIC SILT CHECKS
 R1 - R6 RIGHT-OF-WAY SHEETS
 X1 - X87 CROSS SECTIONS

STANDARD PLANS

108-R2 SUPERELEVATION PLAN FOR CONCRETE AND
 BITUMINOUS SURFACING
 301-R9 (3 SHEETS) PAVEMENT DETAILS
 329-R7 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 425-R4 COLLARS AND ELBOWS FOR CONCRETE PIPES
 443-R6 (2 SHEETS) CURB INLETS AND JUNCTION BOX
 501-R4 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 804 PRECAST CONCRETE R.O.W. MARKER
 901-R9 HIGHWAY DELINEATORS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
 923 TRAFFIC CONTROL--ROAD CLOSURE
 1207 (2 SHEETS) REINFORCED CONCRETE BOX CULVERTS
 TWIN SPAN WITH 7-FOOT RISE

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		5 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		41,473 CY
WATER		1,350 MGAL
RIGHT-OF-WAY MARKERS		65 EACH
EARTHWORK MEASURED IN EMBANKMENT		106,592 CY
REMOVE PAVEMENT		109 SY
SAWING PAVEMENT		448 LF
REMOVE ASPHALT SURFACE		1,050 SY
REMOVE DRIVEWAY		16 SY
REMOVE WALK		233 SY
REMOVE CONCRETE IRRIGATION LATERAL		935 LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		301 LF
60" DRIVE PIPE 2,3,4 OR 5		48 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		45 CY
TEMPORARY WALL		1 EACH
AT STA. 452+50 TO 454+00		
TEMPORARY WALL		1 EACH
AT STA. 457+50 TO 458+40		
15" METAL FLARED-END SECTION		2 EACH
REMOVE GUARDRAIL		1,241 LF
REMOVE SIGN, POST, AND FOOTING		1 EACH
COVER CROP SEEDING		35 ACRE
EROSION CONTROL		10,050 SY
EROSION CONTROL, TYPE HV		1,775 SY
EROSION CHECKS, TYPE HV		116 BALE
FABRIC SILT FENCE-LOW POROSITY		7,050 LF
FABRIC SILT FENCE-HIGH POROSITY		490 LF
15" CULV PIPE 3,4,5,6		110 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		250 LB
REMOVE HEADWALLS FROM CULV		4 EACH
REMOVE STRUCTURE		1 EACH
AT STA. 397+70 - 5' RT.		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		9 CY
EXCAVATION FOR BOX CULVERTS		320 CY
47B-3000 CONC FOR BOX CULV		105 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		4 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR BOX CULVERT	11,330	LB
RE-STEEL FOR INLET & JCT BOX		277 LB
RE-STEEL FOR COLLARS		77 LB
24" METAL FLARED-END SECTION		4 EACH
24" CULV PIPE 3,4,5		59 LF
15" STORM SEWER PIPE 1		16 LF
18" STORM SEWER PIPE 1		11 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		24 ACRE
SEEDING, TYPE B		11 ACRE
MULCH		70 TON

GROUP 6 BRIDGE AT STA. 402+45

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		760 CY
RIPRAP FILTER FABRIC		855 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	22,330	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT		78 LF
ELASTOMERIC BEARING		16 EACH
47B-3000 CONC FOR BRIDGE		200 CY
47BD-4000 CONC FOR BRIDGE		433 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 402+45		
REMOVE STRUCTURE		1 EACH
AT STA. 402+73		
STRUC STEEL FOR SUBSTRUCTURE		860 LB
BROKEN CONCRETE RIPRAP		90 TON
ROCK RIPRAP, TYPE B		515 TON
EPOXY COATED RE-STEEL	129,875	LB
HP 14"X89# STEEL PILING		1,040 LF
ROCK SOCKET		82 LF
54"		
DRILLED SHAFT		42 LF
60"		
STEEL SHEET PILING		3,454 SF
GRANULAR BACKFILL		363 CY

GROUP 6A BRIDGE AT STA. 402+45

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		760 CY
RIPRAP FILTER FABRIC		855 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	22,335	LB

GROUP 6A BRIDGE AT STA. 402+45

ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT		78 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		4 EACH
47B-3000 CONC FOR BRIDGE		205 CY
47BD-4000 CONC FOR BRIDGE		399 CY
REMOVE STRUCTURE		1 EACH
AT STA. 402+73		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 402+45		
STRUC STEEL FOR SUBSTRUCTURE		870 LB
BROKEN CONCRETE RIPRAP		90 TON
ROCK RIPRAP, TYPE B		515 TON
EPOXY COATED RE-STEEL	103,660	LB
HP 14"X89# STEEL PILING	1,040	LF
ROCK SOCKET		82 LF
54"		
DRILLED SHAFT		42 LF
60"		
STEEL SHEET PILING	3,455	SF
GRANULAR BACKFILL	363	CY

GROUP 6B BRIDGE AT STA. 435+85

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,820 CY
RIPRAP FILTER FABRIC		290 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		22,230 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		128 CY
47BD-4000 CONC FOR BRIDGE		122 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 435+85		
REMOVE STRUCTURE		1 EACH
AT STA. 435+88		
STRUC STEEL FOR SUBSTRUCTURE		5,210 LB
ROCK RIPRAP, TYPE B		227 TON
EPOXY COATED RE-STEEL	39,571	LB
HP 12"X53# STEEL PILING	2,160	LF
STEEL SHEET PILING	3,761	SF
GRANULAR BACKFILL	310	CY

GROUP 6C BRIDGE AT STA. 441+10

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,850 CY
RIPRAP FILTER FABRIC		275 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		22,230 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		122 CY
47BD-4000 CONC FOR BRIDGE		111 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 441+10		

GROUP 6C BRIDGE AT STA. 441+10

REMOVE STRUCTURE	1 EACH
AT STA. 441+14	
STRUC STEEL FOR SUBSTRUCTURE	5,155 LB
ROCK RIPRAP, TYPE B	185 TON
EPOXY COATED RE-STEEL	36,310 LB
HP 12"X53# STEEL PILING	2,160 LF
STEEL SHEET PILING	3,905 SF
GRANULAR BACKFILL	315 CY

GROUP 6D BRIDGE AT STA. 447+50

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	350 CY	
RIPRAP FILTER FABRIC	230 SY	
CONC FOR PVMT APPROACHES CLASS 47BD-4000	175 CY	
EPOXY COATED RE-STEEL FOR PVMT APPROACH	22,230 LB	
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	111 CY	
47BD-4000 CONC FOR BRIDGE	125 CY	
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 447+50		
STRUC STEEL FOR SUBSTRUCTURE	5,060 LB	
ROCK RIPRAP, TYPE B	172 TON	
EPOXY COATED RE-STEEL	38,775 LB	
HP 12"X53# STEEL PILING	2,330 LF	
STEEL SHEET PILING	3,615 SF	
GRANULAR BACKFILL	301 CY	

GROUP 6E BRIDGE AT STA. 455+72.50

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	630 CY	
RIPRAP FILTER FABRIC	342 SY	
CONC FOR PVMT APPROACHES CLASS 47BD-4000	175 CY	
EPOXY COATED RE-STEEL FOR PVMT APPROACH	22,535 LB	
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.3 EXCAVATION	LUMP	LUMP
BENT NO.4 EXCAVATION	LUMP	LUMP
BENT NO.5 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT	84 LF	
47B-3000 CONC FOR BRIDGE	297 CY	
47BD-4000 CONC FOR BRIDGE	297 CY	
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 455+72+50		
REMOVE STRUCTURE	1 EACH	
AT STA. 455+60		
STRUC STEEL FOR SUBSTRUCTURE	6,690 LB	
ROCK RIPRAP, TYPE B	300 TON	
EPOXY COATED RE-STEEL	105,265 LB	
HP 12"X53# STEEL PILING	1,150 LF	
HP 14"X89# STEEL PILING	2,100 LF	
STEEL SHEET PILING	4,392 SF	
GRANULAR BACKFILL	391 CY	

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	875 LF	
BRIDGE APPROACH SECTIONS	20 EACH	
GUARDRAIL END TREATMENT, TYPE II	20 EACH	

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT	40,700	LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	130	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	341	SY
MAILBOX POST	6	EACH
TIE BARS	48	EACH
CONCRETE CURB REPAIR	100	LF
CONC 47B-3000 SIDEWALK 5"	391	SY
CONC PVMT REPAIR TYPE C FULL DEPTH	83	CY
8" CONC PVMT, 47B-3500	109	SY
CAST IRON GRATE & FRAME	4,284	LB
ADJUST MANHOLE TO GRADE	1	EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES	32	CY
RE-STEEL FOR INLET & JCT BOX	2,520	LB
HANDICAPPED SYMBOL	3	EACH
12" WHT PREF PVMT MRKING T-4 GROOVED	120	LF
24" WHITE PREF PVMT MKING T-4 GROOVED	36	LF
RR XING SYMBOL PREFORMED PVMT MRKING T-4	3	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	165	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	20	TON
BIT FOUNDATION COURSE 4"	26,785	SY
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4 SPECIAL(0.5)	2,000	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL (0.5)	500	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	16,076	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,365	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	108	TON
PERF GRADED BINDER (64-28)	895	TON
CONSTRUCTING ASPH CONC CURB	2,348	LF
PREP OF INTER & DRIVE	2,297	SY
TACK COAT	7,166	GAL
WATER	148	MGAL
EARTH SHOULDER CONSTRUCTION	261	STA
TRENCHED WIDENING	86	STA
SUBGRADE PREPARATION	27,750	SY
COLD MILLING, CLASS 4	84	STA
MILLING CONC FOR INLAYS	4	EACH
CONCRETE SURFACE MILLING	3,343	SY
SURFACE UNDER GUARDRAIL	1,443	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SODDING	282	SY
15" CULV PIPE 3,4,5,6	451	LF
ADJUST VALVE BOX TO GRADE	2	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	19,175	BDAY
BARRICADE, TYPE III	15,428	BDAY
TEMPORARY SIGN DAY	510	EACH
SIGN DAY	26,974	EACH
CONTRACTOR FURNISHED SIGN DAY	3,310	EACH
OVERLAY BROKEN LINES	312	STA
OVERLAY SOLID LINES	624	STA
FLAGGING	150	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
TRAFFIC CONTROL MANAGEMENT	369	DAY
FIELD OFFICE	1	EACH
TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	155	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	155	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	155	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	95	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	2,000	LF

GROUP 10 GENERAL ITEMS

TEMPORARY EARTH CHECK
TEMPORARY MULCH

500 LF
4 TON

NOTICE TO CONTRACTORS

CALL ORDER 705
FEDERAL PROJECT NO. STPP-6-3(122)
LOCATION: US-6, IN HOLDREGE
COUNTIES: PHELPS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
START DATE 11/13/2007 WORKING DAYS 10
Price Range \$ 0 to \$ 50,000

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at MCCOOK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	2 SHEETS	\$	0.50
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 PLAN SHEET

STANDARD PLANS

- 910-R2 SIGNAL FACE CONFIGURATION
- 914-R5 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

TEMPORARY SIGN DAY	40 EACH
MOBILIZATION	LUMP LUMP
PULL BOX, TYPE PB-1	3 EACH
TRAFFIC SIGNAL, TYPE TS-1	2 EACH
1 1/2" CONDUIT IN TRENCH	1,014 LF
1 1/2" CONDUIT, JACKED	204 LF
2/C #14 AWG TRAF SIG CABLE	1,233 LF
GROUNDING CONDUCTOR	1,208 LF
SERVICE CABLE	100 LF
INSTALL TRAF SIG CONTR, TYPE TC-FLASHER	1 EACH

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. STPD-183-4(110)
 LOCATION: US-183, SPRINGVIEW NORTH & SOUTH
 COUNTIES: BROWN KEYA PAHA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 17, 2007. At that time the bids will be opened and read for GRAD,CULV,SEED,BR,GDRL,ELEC,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.7 MILES
 START DATE 06/18/2007 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning April 24, 2007 at the Lincoln Central Office and April 30, 2007 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	113	SHEETS	\$	28.25
CROSS SECTIONS (SHEETS X1 THRU X119)	119	SHEETS	\$	29.75
STANDARD PLANS	24	SHEETS	\$	6.00

SHEET NO.

1	TITLE PAGE
2T1-2T5	TYPICAL CROSS SECTIONS
2S1-2S3	SUMMARY OF QUANTITIES
2W1-2W13	WETLANDS
2H1-2H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N	GENERAL INFORMATION
2L1-2L3	GEOMETRICS
2L4-2L6	CONSTRUCTION & REMOVAL
2L7	EROSION CONTROL
3 - 14	PLAN SHEETS
15	PLAN & PROFILE SHEET
16	TRAFFIC CONTROL PLAN--SHOOFLY DETOUR
17 - 19	TYPICAL URBAN TRAFFIC CONTROL PLAN
20	TEMPORARY PAVEMENT MARKING PLAN
21	TYPICAL PAVEMENT MARKING PLAN
22 - 26	ROADWAY LIGHTING PLANS
27 - 38	DRAINAGE STRUCTURE CROSS SECTIONS
39 - 55	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE WIDEN & OVERLAY STA. 592+92.53
56 - 59	SPECIAL PLAN 1C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE
60	SPECIAL PLAN 2C CONCRETE COLLAR FOR ROUND EQUIVALENT PIPE-ARCH
61	SPECIAL PLAN 3C CONCRETE FLUME, TYPE I
62	SPECIAL PLAN 4C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
63	SPECIAL PLAN 5C SILT FENCE DETAILS
64	SPECIAL PLAN 6C STEP DETAILS
65	SPECIAL PLAN 7C CURB RAMPS
66 - 72	SPECIAL PLAN 8C GUARDRAIL PLAN
73	SPECIAL PLAN 9C MAILBOX TURNOUT
74 - 75	SPECIAL PLAN 10C MAILBOX SUPPORT POST
R1 - R7	RIGHT-OF-WAY SHEETS
X1 - X119	CROSS SECTIONS

STANDARD PLANS

108-R2	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R9	(3 SHEETS) PAVEMENT DETAILS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R6	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R4	(3 SHEETS) EROSION CONTROL
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		4 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,480 CY
WATER		373 MGAL
RIGHT-OF-WAY MARKERS		6 EACH
REMOVE DELINEATOR UNITS		22 EACH
EARTHWORK MEASURED IN EMBANKMENT		21,266 CY
REMOVE ASPHALT SURFACE		370 SY
REMOVE WALK		209 SY
REMOVE COMBINATION CURB AND GUTTER		134 LF
REMOVE STEP		1 EACH
INSTALL 48" CORRUGATED METAL PIPE		180 LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		60 LF
REMOVE GUARDRAIL		300 LF
REMOVE SIGN, POST, AND FOOTING		1 EACH
EROSION CONTROL, TYPE HV		10,972 SY
FABRIC SILT FENCE-LOW POROSITY		13,450 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		2 EACH
CAST IRON COVER & FRAME		250 LB
CAST IRON COVER, FRAME & FLANGE		580 LB
MANHOLE		1 EACH
AT STA. 505+30.65 RT.		
REMOVE & SALVAGE FES		2 EACH
REMOVE HEADWALLS FROM CULV		12 EACH
REMOVE SEWER PIPE		24 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		74 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		6 CY
47B-3000 CONC FOR CONCRETE CO		3 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
RE-STEEL FOR INLET & JCT BOX		442 LB
24" METAL FLARED-END SECTION		8 EACH
42" METAL FLARED-END SECTION		1 EACH
48" METAL FLARED-END SECTION		1 EACH
INSTALL 42" METAL F.E.S.		2 EACH
42" RND EQUIV MTL PIPE FES		2 EACH
24" CULV PIPE 3,4,5		63 LF
42" CULV PIPE 3,4,5		50 LF
48" CULV PIPE 3,4,5		34 LF
42" RND EQ CULV PIPE 3,4,5		6 LF
15" STORM SEWER PIPE 1,7,8		114 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		35 ACRE
SEEDING, TYPE C		1 ACRE
MULCH		79 TON

GROUP 6 BRIDGE AT STA. 592+92.53

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		160 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		174 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		22,360 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
CLASS I REPAIR		168 SY
CLASS II REPAIR		34 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		232 SY
47B-3000 CONC FOR BRIDGE		27 CY
47BD-4000 CONC FOR BRIDGE		37 CY
CONCRETE FOR OVERLAYS-SF		16 CY
PREP BRIDGE		1 EACH
AT STA. 592+92.53		
BROKEN CONCRETE RIPRAP		30 TON
ROCK RIPRAP, TYPE A		40 TON
ROCK RIPRAP, TYPE B		50 TON
EPOXY COATED RE-STEEL		13,410 LB
CONCRETE PILING		700 LF
GRANULAR BACKFILL		45 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		150 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		2 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		1 EACH
1 1/2" CONDUIT IN TRENCH		113 LF
STREET LIGHT CABLE, NO. 6 BARE		113 LF
STREET LIGHT CABLE, NO. 6 USE		226 LF
RELOCATE ELECTRIC SERVICE		1 EACH
RELOCATE STREET LIGHTING UNIT		2 EACH

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT		176,000 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		19 EACH
INSTALL CHEVRONS		8 EACH
GRAVEL SURFACE COURSE		545 CY
GRAVEL EMBEDMENT		12 STA
SPEC SURF CRSE FOR MAILBOX TURNOUTS		391 SY
MAILBOX POST		5 EACH
COMB CONC 47B-3500 CURB & GUTTER		134 LF
CONC 47B-3000 SIDEWALKS		268 SY

GROUP 9 BITUMINOUS

FLUME SPILLWAY	33 LF
CONCRETE FLUME, TYPE I	4 EACH
47B-3000 CONC FOR STEP	1 CY
RE-STEEL FOR STEP	108 LB
HYDRATED LIME	645 TON
HYDRATED LIME FOR ASPHALT MIXTURES	346 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	10 TON
HYDRATED LIME SLURRY STABILIZATION	588 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4 SPECIAL(0.375)	1,000 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL(0.375)	100 TON
ASPH CONC, TYPE SP4 SPECIAL(0.375)	34,460 TON
PLACE ASPH CONC FOR DRIVE & INTER	4,302 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	60 TON
PERF GRADED BINDER (64-28)	2,073 TON
CONSTRUCTING ASPH CONC CURB	1,540 LF
PREP OF INTER & DRIVE	78 SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION	183,240 GAL
TACK COAT	41,470 GAL
FOG SEAL	18,320 GAL
WATER	894 MGAL
EARTH SHOULDER CONSTRUCTION	1,197 STA
TRENCHED WIDENING	1,177 STA
SUBGRADE PREPARATION	1,380 SY
COLD MILLING, CLASS 3	21,478 SY
SURFACE UNDER GUARDRAIL	239 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	36,068 BDAY
BARRICADE, TYPE III	1,428 BDAY
TEMPORARY SIGN DAY	700 EACH
SIGN DAY	15,956 EACH
CONTRACTOR FURNISHED SIGN DAY	1,116 EACH
PAVEMENT MARKING REMOVAL	1,200 LF
TEMP PVMT MARKING, TYPE PAINT	4,600 LF
TEMP PVMT MARKING SURF PREP	1,900 LF
OVERLAY BROKEN LINES	1,830 STA
OVERLAY SOLID LINES	3,660 STA
FLAGGING	100 DAY
FURNISHING AND OPERATING PILOT VEHICLE	50 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	180 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	180 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	180 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	160 HOUR
TEMPORARY SILT FENCE	3,000 LF
TEMPORARY EARTH CHECK	300 LF
TEMPORARY MULCH	2 TON

Document No.

Plan and Informational Proposal Order Form
Projects to be bid on:
MAY 17, 2007

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Payment required prior to NDOR completing this order.
 NDOR_Contracts_Online_Orders@dor.state.ne.us FAX: (402) 479-3647

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Overnight	Acct. No.
	<input type="checkbox"/> UPS Overnight	Acct. No.
	Comments:	
FOR OFFICE USE ONLY		
Reference I.D.: _____		
Authorization Code: _____ Date: _____		

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax %
Processed and Informational Proposals Sent By:	Date:	Plans Filled By Blueprint:
		Date:
Total		

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
105	BRO-7066(25)				
205	S-30-7(1016)				
305	BR-2607(1)				
310	BRO-7054(16)				
400	STPP-81-2(141)				
405	STR-80-6(1029)				
505	STPD-87-4(115)				
510	STPE-1010(5)				
700	STPD-BR-89-3(104)				
705	STPP-6-3(122)				
800	STPD-183-4(110)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

