

August 9, 2007

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office September 13, 2007 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THE PROJECTS IN THIS LETTING AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 P.M. DATE: August 27, 2007

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Tuesday, September 4, 2007.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: <http://www.dor.state.ne.us/>

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: NDOR_Contract_Lettings@dor.state.ne.us

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803 Phone: (402) 479-4525
Email: NDOR_Contract_Lettings@dor.state.ne.us

January 1, 2006

NOTICE TO CONTRACTORS

CALL ORDER 200
FEDERAL PROJECT NO. STP-275-7(184)
LOCATION: US-275, SOUTH OMAHA BRIDGE, 13TH & MISSOURI AVE.
COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 13, 2007 . At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED LS ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES
START DATE 10/15/2007 CALENDAR DAYS 958
Price Range \$ 3,000,000 to \$ 6,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 10.0 %

Plans and specifications may be seen beginning August 09, 2007 at the Lincoln Central Office and August 13, 2007 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 PM DATE: August 27, 2007

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 200, {Project No. STP-275-7(184)} and Call Order No. 205, {Project No. BR-275-7(185)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	204	SHEETS	\$ 51.00
CROSS SECTIONS (SHEETS X1 THRU X59)	59	SHEETS	\$ 14.75
STANDARD PLANS	23	SHEETS	\$ 5.75

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2T1-2T5	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES
2K1-2K6	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2A1-2A4	PHOTO MAPS
2H1-2H4	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1-2N4	GENERAL INFORMATION
2P1-2P40	CONSTRUCTION PHASING PLANS
2L1-2L8	REMOVALS
2L9-2L15	CONSTRUCTION
2L16-2L22	DRAINAGE
2L23-2L30	GEOMETRICS
2L31-2L37	JOINTS & GRADES
3 - 9	PLAN & PROFILE SHEETS
10 - 13	FENCING
14 - 22	PAVEMENT MARKING PLANS
23 - 30	ROADWAY LIGHTING PLANS

31	LANDSCAPING
32 - 35	TEMPORARY SIGNAL PLAN
36	SIGNAL PLANS
37 - 39	TRAFFIC SIGNAL PLAN
40 - 46	INTERCONNECT PLANS
47 - 49	EARTHWORK DATA SHEETS
50 - 55	DRAINAGE STRUCTURE CROSS SECTIONS
56 - 59	SPECIAL PLAN 1C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE
60 - 62	SPECIAL PLAN 2C 13TH/15TH STREET SANITARY SEWER
63	SPECIAL PLAN 3C WALL PLAN & PROFILE
64	SPECIAL PLAN 4C 13TH STREET DRIVEWAY WALL PLAN & PROFILE
65 - 68	SPECIAL PLAN 5C 13TH STREET WALL PLAN & PROFILE
69 - 71	SPECIAL PLAN 6C CONCRETE FLUME STRUCTURE DETAILS
72	SPECIAL PLAN 7C RECONSTRUCTION OF EXISTING MANHOLES/ REMOVE, ABANDON EXISTING PIPES
73 - 75	SPECIAL PLAN 8C CURB INLET STA. 523+71.80
76 - 78	SPECIAL PLAN 9C CURB INLET STA. 523+72.00
79 - 80	SPECIAL PLAN 10C GRATE INLET/CURB INLET
81 - 83	SPECIAL PLAN 11C DOUBLE GRATE INLET
84 - 86	SPECIAL PLAN 12C HISTORIC PILLAR & FLAG POLE BASE
87	SPECIAL PLAN 13C STANDARD DETAIL OF TYPE "AA" DOUBLE INLET, WITH CAST IRON CURB INLET & FLAT GRATE & FRAME (STANDARD PLATE NO. 704)
88	SPECIAL PLAN 14C AREA INLET, TYPE I (STANDARD PLATE NO. 717)
89	SPECIAL PLAN 15C CURB RAMPS
90 - 91	SPECIAL PLAN 16C TEMPORARY SILT CHECKS
R1 - R11	RIGHT-OF-WAY SHEETS
X1 - X59	CROSS SECTIONS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R4	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		15 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		34,166 CY
REMOVAL OF UNSUITABLE MATERIAL		100 CY
WATER		157 MGAL
REMOVE PAVEMENT		29,358 SY
SAWING PAVEMENT		504 LF
REMOVE DRIVEWAY		1,090 SY
REMOVE WALK		3,282 SY
REMOVE FENCE		332 LF
REMOVE STEP		1 EACH
REMOVE RETAINING WALL		1,486 LF
REMOVE BUILDING		1 EACH
AT STA. 116+34 RT.		

GROUP 1 GRADING

CLEAR TRACT	1 EACH
AT STA. 115+70 TO STA. 116+92 RT.	
REMOVE TRACK	3,000 LF
REMOVE CONCRETE RAILING	311 LF
REMOVE GUARDRAIL	100 LF
COVER CROP SEEDING	3 ACRE
EROSION CONTROL, CLASS 1C	3,717 SY
EROSION CONTROL, CLASS 1D	21,717 SY
FABRIC SILT FENCE, COIR FIBER	1,625 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	400 LF
MOBILIZATION	LUMP LUMP
EXCAVATION FOR RETAINING WALL	900 CY
CRUSHED ROCK SURFACE COURSE	195 TON
COMB CONC 47B-3500 CURB & GUTTER	298 LF
CONC 47B-3000 SIDEWALKS	3,107 SY
6" CONCRETE CLASS 47B-3000 BIKEWAY	4,008 SY
6" CONCRETE 47B-3000 IMPRINTED SURFACING	1,420 SY
6" CONC 47B-3000 IMPRINTED MEDIAN SURF	991 SY
CONC 47B-3500 DRIVEWAY	1,042 SY
CONC 47B-HE-3500 DRIVEWAY	100 SY
6" CONC PVMT, 47B-3500	1,056 SY
7" CONC PVMT 47B-3500	2,201 SY
10" CONC PVMT, 47B-3500	18,229 SY
10" DOWELED CONC PVMT, 47B-3500	9,786 SY
TEMPORARY SURFACING	1,350 SY
10"	
10" CONC PVMT CLASS 47B-HE-3500	100 SY
10" DOWELED CONC PVMT, 47B-HE-3500	100 SY
CONCRETE DITCH LINING - 7'	540 LF
GRAVITY BLOCK WALL	554 SF
47B-3000 CONC FOR RETAINING WALL	238 CY
EPOXY COATED RE-STEEL FOR RETAINING WALL	25,000 LB
47BD-4000 CONC FOR BARRIER	124 CY
EPOXY COATED RE-STEEL FOR BARRIER	12,165 LB
ANTI-GRAFFITI COATING	LUMP LUMP
AT STA. 115+25 RT.	
DAMP-PROOFING	245 SY
6' WELDED WIRE FABRIC FENCE	629 LF
ARROW, PREF PVMT MRKING T-4 GROOVED	45 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,184 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	6,326 LF
12" WHT PREF PVMT MRKING T-4 GROOVED	376 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	872 LF
FOUNDATION COURSE	18,229 SY
4"	
FOUNDATION COURSE	9,786 SY
12"	
GRANULAR BACKFILL	435 CY
WATER	132 MGAL
EARTH SHOULDER CONSTRUCTION	129 STA
SUBGRADE PREPARATION	32,314 SY
SODDING	2,603 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP LUMP
REMOVE MANHOLE	3 EACH
REMOVE INLET	42 EACH
CAST IRON COVER & FRAME	20,305 LB
CAST IRON GRATE & FRAME	2,675 LB
CAST IRON RING & COVER	690 LB
AREA INLET	4 EACH

GROUP 4 CULVERTS

INLET		3	EACH
TYPE AA			
RECONSTRUCT MANHOLE		59	LF
MANHOLE		1	EACH
AT STA. 200+56.16 - 1.7' LT.			
MANHOLE		1	EACH
AT STA. 509+43.17 - 3.1' LT.			
MANHOLE		1	EACH
AT STA. 516+43.58 - 132' RT.			
MANHOLE		1	EACH
AT STA. 521+04.92 - 111.6 RT.			
MANHOLE		1	EACH
AT STA. 522+46.62 - 4.8' LT.			
MANHOLE		1	EACH
AT STA. 523+71.80 - 64.5' LT.			
TAPPING EXISTING MANHOLE		5	EACH
CONCRETE FLUME STRUCTURE	LUMP		LUMP
AT STA. 506+24.77 TO 506+04.52 LT.			
REMOVE SEWER PIPE		1,039	LF
PLUG VALVE		15	EACH
BOX OR VAULT FOR WATER AND GAS LINE			
47B-3000 CONC FOR INLET & JUNCTION BOXES		243	CY
47B-3000 CONC FOR PIPE PLUG		1	CY
RE-STEEL FOR INLET & JCT BOX		15,272	LB
CULVERT SANDFILL		23	CY
6" P.V.C. SANITARY SEWER PIPE		56	LF
15" P.V.C. SANITARY SEWER PIPE		66	LF
27" P.V.C. SANITARY SEWER PIPE		578	LF
4" PERF CORR POLY PIPE UNDERDRAIN		1,253	LF
PLUG		15	EACH
WATER OR GAS LINE			
CURB INLET SEDIMENT FILTER		49	EACH
CONCRETE DRAINAGE SPREADER		1	EACH
15" STORM SEWER PIPE 1		707	LF
18" STORM SEWER PIPE 1		1,391	LF
24" STORM SEWER PIPE 1		1,380	LF
30" STORM SEWER PIPE 1		638	LF
36" STORM SEWER PIPE 1		532	LF
42" STORM SEWER PIPE 1		243	LF
48" STORM SEWER PIPE 1		473	LF
60" STORM SEWER PIPE 1		921	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP		LUMP
SEEDING, TYPE B		5	ACRE
MULCH		11	TON

GROUP 5L LANDSCAPING

MOBILIZATION	LUMP		LUMP
REMOVE		1	EACH
, SALVAGE & RESET HISTORICAL STREET LAMP			
REMOVE		2	EACH
, SALVAGE & RESET HISTORICAL PILLARS			
REMOVE		2	EACH
FLAGPOLE AND SALVAGE FLAGPOLE			
SPRINKLER SYSTEM	LUMP		LUMP
MONUMENT WALL	LUMP		LUMP
ANTI-GRAFFITI COATING	LUMP		LUMP
AT STA. 520+95 RT.			
DECORATIVE FENCE		132	LF
FLAG POLE FOUNDATION		5	EACH
FLAG POLE BASE		2	EACH
ANDORRA JUNIPER 18"-24" C.G.		30	EACH
KNOCK OUT ROSE GRADE #1, #3 CONTAINER		14	EACH
COLUMNAR NORWAY MAPLE 2" CALIPER B&B		10	EACH

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL		1	EACH
AT 13TH ST. & GIBSON RD.			
TEMPORARY TRAFFIC SIGNAL		1	EACH
AT 13TH ST. & MISSOURI AVE.			
TEMPORARY TRAFFIC SIGNAL		1	EACH
AT STA. 521+00			
MOBILIZATION	LUMP		LUMP
INSTALL SIGN		10	EACH
STREET NAME SIGN		4	EACH
PULL BOX, TYPE PB-1		3	EACH
PULL BOX, TYPE PB-1A		6	EACH
PULL BOX, TYPE PB-2		3	EACH
PULL BOX, TYPE PB-6		18	EACH
PULL BOX, TYPE PB-8		4	EACH
PULL BOX, TYPE PB-10		1	EACH
TRAFFIC SIGNAL, TYPE TS-1		18	EACH
TRAFFIC SIGNAL, TYPE TS-1LL		1	EACH
TRAFFIC SIGNAL, TYPE TS-1A		7	EACH
TRAFFIC SIGNAL, TYPE TS-1RR		1	EACH
TRAF SIG CONTROL, TYPE TC-170		2	EACH
PEDESTRIAN SIGNAL, TYPE PS-1		12	EACH
PEDESTRIAN PUSHBUTTON, PPB		12	EACH
PEDESTAL POLE, TYPE PP-12		3	EACH
PEDESTAL POLE, TYPE PP-10		1	EACH
VEHICLE DETECTOR, TYPE A PREFORMED		24	EACH
VEHICLE DETECTOR, TYPE B PREFORMED		39	EACH
VEHICLE DETECTOR, TYPE TD-5		4	EACH
ST LIGHT UNIT SL-A-40-12-0.20		38	EACH
LANDSCAPE LUMINAIRE		18	EACH
C.M.A. SIG & LGHT P. CMP-0-12		1	EACH
C.M.A. SIG & LGHT POLE, CMP-40-12		1	EACH
C.M.A. SIG & LGHT POLE, CMP-45-12		1	EACH
C.M.A. SIG & LGHT POLE, CMP-55-12/12		2	EACH
C.M.A. SIG & LGHT POLE, CMP-65-12		1	EACH
C.M.A. SIG & LGHT POLE CMP-70-12		1	EACH
MAST ARM SIGNAL POLE, MP-20		1	EACH
LIGHTING CONTROL CENTER, P		1	EACH
LIGHTING CONTROL CENTER, R-2		1	EACH
3/4" CONDUIT IN TRENCH		520	LF
1 1/2" CONDUIT IN TRENCH		5,209	LF
2" CONDUIT IN TRENCH		5,498	LF
3" CONDUIT IN TRENCH		78	LF
1 1/2" CONDUIT UNDER ROADWAY		1,698	LF
2" CONDUIT, JACKED		100	LF
3" CONDUIT, JACKED		35	LF
2/C #14 AWG TRAF SIG CABLE		1,547	LF
5/C #14 AWG TRAF SIG CABLE		187	LF
7/C #14 AWG TRAF SIG CABLE		65	LF
16/C #14 AWG TRAF SIG CABLE		1,267	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE		245	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE		3,897	LF
GROUNDING CONDUCTOR		1,060	LF
SERVICE CABLE		374	LF
STREET LIGHT CABLE, NO. 2 USE		430	LF
STREET LIGHT CABLE, NO. 6 BARE		7,678	LF
STREET LIGHT CABLE, NO. 6 USE		14,926	LF
STREET LIGHT CABLE, NO. 6 3/C		293	LF
6 PAIR COMMUNICATION CABLE		839	LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE		1,873	LF
BRANCH FIBER OPTIC CABLE		2	EACH
TERMINAL FUSION SPLICE POINT		2	EACH
TEST& DOCUMENT OF FIBER OPTIC COMM SYSTE	LUMP		LUMP
INSTALL LUMINAIRE		9	EACH
REMOVE LIGHTING UNIT		10	EACH
REMOVE TRAFFIC SIGNAL		1	EACH
AT US-275 & 13TH ST.			

GROUP 8B ELECTRICAL

REMOVE TRAFFIC SIGNAL AT 13TH ST. & GIBSON RD.	1 EACH
REMOVE PULL BOX	3 EACH
TEMP LIGHTING SYSTEM AT STA. 110+50	1 EACH
TEMP LIGHTING SYSTEM AT STA. 114+00	1 EACH
TEMP LIGHTING SYSTEM AT STA. 506+50	1 EACH
TEMP LIGHTING SYSTEM AT STA. 509+70	1 EACH
TEMP LIGHTING SYSTEM AT STA. 515+00	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	173,855 BDAY
BARRICADE, TYPE III	42,158 BDAY
TEMPORARY SIGN DAY	100 EACH
SIGN DAY	49,430 EACH
CONTRACTOR FURNISHED SIGN DAY	11,923 EACH
PAVEMENT MARKING REMOVAL	56,200 LF
TEMP PVMT MARKING, TYPE PAINT	56,200 LF
FLASHING ARROW PANEL	2,375 DAY
FLAGGING	50 DAY
TRAFFIC CONTROL MANAGEMENT	516 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	100 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100 HOUR
TEMPORARY SILT CHECK	2,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	3 TON

NOTICE TO CONTRACTORS

CALL ORDER 205
FEDERAL PROJECT NO. BR-275-7(185)
LOCATION: US-275/N-92, SOUTH OMAHA BRIDGE, NEBRASKA BRIDGE APPROACH.
COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 13, 2007 . At that time the bids will be opened and read for GRAD BR GDRL ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
START DATE 10/15/2007 WORKING DAYS 958
Price Range \$ 10,000,000 to \$ 15,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 09, 2007 at the Lincoln Central Office and August 13, 2007 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 P.M. DATE: August 27, 2007

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 200, {Project No. STP-275-7(184)} and Call Order No. 205, {Project No. BR-275-7(185)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	329	SHEETS	\$ 82.25
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$ 2.25
STANDARD PLANS	10	SHEETS	\$ 2.50

SHEET NO.	
1	TITLE PAGE
2	INDEX OF SHEETS
2T1	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES
2K1-2K5	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2A1-2A2	PHOTO MAPS
2H1-2H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1	GENERAL INFORMATION
2L1	REMOVALS
2L2	CONSTRUCTION
3 - 4	PLAN & PROFILE SHEETS
5	PLAN SHEET--FENCING
6	PLAN SHEET--PAVEMENT MARKING PLANS
7 - 13	ROADWAY LIGHTING PLANS
14	EARTHWORK DATA SHEET
15	BRIDGE REMOVAL
16 - 148	SPECIAL PLAN 1 NU CONCRETE GIRDER BRIDGE STA. 126+74.77

149 - 302 SPECIAL PLAN 2 STEEL PLATE GIRDER BRIDGE
 STA. 126+74.77
 303 SPECIAL PLAN 1C GUARDRAIL PLAN--MISSOURI AVENUE
 304 - 306 SPECIAL PLAN 2C MSE WALL PLAN
 307 SPECIAL PLAN 3C PIER NO. 1 GRADING
 308 - 309 SPECIAL PLAN 4C TEMPORARY SILT CHECKS
 R1 - R4 RIGHT-OF-WAY SHEETS
 X1 - X9 CROSS SECTIONS

STANDARD PLANS

428-R3 CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
 501-R4 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 923 TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		177 MGAL
EARTHWORK MEASURED IN EMBANKMENT		12,653 CY
REMOVE MANHOLE		1 EACH
REMOVE	LUMP	LUMP
, SALVAGE AND RESET FENCE AND GATE		
GRAVEL SURFACE COURSE		720 TON
REMOVE SEWER PIPE		118 LF
CONCRETE FACE PANELS		11,378 SF
CONCRETE LEVELING PADS		986 LF
COPING		986 LF
SHORING FOR MSE STRUCTURES	LUMP	LUMP
47B-3000 CONC FOR PIPE PLUG		1 CY
30" CORRUGATED METAL PIPE		495 LF
ANTI-GRAFFITI COATING	LUMP	LUMP
6' WELDED WIRE FABRIC FENCE		590 LF
SELECT GRANULAR BACKFILL FOR MSE WALL		4,857 CY
SEEDING, TYPE B		1 ACRE
EROSION CONTROL, CLASS 1C		4,835 SY
MULCH		2 TON

GROUP 6 BRIDGE AT STA. 126+74.77

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		269 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,790 LB
REMOVE STRUCTURE		1 EACH
AT STA. 118+88		
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.8 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		96 LF
EXPANSION BEARING, TFE TYPE		39 EACH
FIXED BEARING		137 EACH
47BD-4000 CONC FOR BRIDGE		8,522 CY
47BD-6000 CONC FOR BRIDGE		409 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 126+74.77		
STRUC STEEL FOR SUBSTRUCTURE		360 LB
STEEL DIAPHRAGM		61 EACH

GROUP 6 BRIDGE AT STA. 126+74.77

FLOOR DRAINS		35	EACH
EPOXY COATED RE-STEEL	1,715,715	LB	
SUBSURFACE DRAINAGE MATTING		125	SY
HP 14"X89# STEEL PILING	28,875	LF	
ROCK SOCKET		24	LF
5'6" DIAMETER			
DRILLED SHAFT	360	LF	
6'0" DIAMETER			
PEDESTRIAN BARRIER RAIL	1,540	LF	
DRAINAGE SYSTEM		7	EACH
AT STA. 126+74.77			
TEMP BRIDGE SHORING	LUMP	LUMP	
2" CONDUIT IN BRIDGE		3,085	LF
4" CONDUIT IN BRIDGE		9,085	LF
1 1/2" CONDUIT IN BRIDGE		4,600	LF
STRIP SEALS		124	LF
6' WELDED WIRE FABRIC FENCE		20	LF
8' WELDED WIRE FABRIC FENCE		1,523	LF
ARROW, PREF PVMT MRKING T-4 GROOVED		6	EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED		5,212	LF
GRANULAR BACKFILL		404	CY

GROUP 6A BRIDGE AT STA. 126+74.77

MOBILIZATION	LUMP	LUMP	
CONC FOR PVMT APPROACHES CLASS 47BD-4000		269	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,790	LB
REMOVE STRUCTURE		1	EACH
AT STA. 118+88			
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP	
DECK JOINT SEAL, TYPE IV		96	LF
EXPANSION BEARING, TFE TYPE		39	EACH
FIXED BEARING		137	EACH
47BD-4000 CONC FOR BRIDGE		7,577	CY
47BD-6000 CONC FOR BRIDGE		409	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP	
AT STA. 126+74.77			
STRUC STEEL FOR SUBSTRUCTURE		360	LB
STEEL DIAPHRAGM		61	EACH
FLOOR DRAINS		35	EACH
EPOXY COATED RE-STEEL	1,647,130	LB	
SUBSURFACE DRAINAGE MATTING		125	SY
HP 14"X89# STEEL PILING		3,055	LF
ROCK SOCKET		115	LF
5'0" DIAMETER			
ROCK SOCKET		335	LF
5'6" DIAMETER			
ROCK SOCKET		36	LF
6'0" DIAMETER			
DRILLED SHAFT		255	LF
5'6" DIAMETER			
DRILLED SHAFT		1,943	LF
6'0" DIAMETER			
DRILLED SHAFT		276	LF
6'6" DIAMETER			
PEDESTRIAN BARRIER RAIL		1,540	LF
DRAINAGE SYSTEM		7	EACH
AT STA. 126+74.77			
TEMP BRIDGE SHORING	LUMP	LUMP	
2" CONDUIT IN BRIDGE		3,085	LF
4" CONDUIT IN BRIDGE		9,085	LF
1 1/2" CONDUIT IN BRIDGE		4,600	LF
STRIP SEALS		124	LF
6' WELDED WIRE FABRIC FENCE		20	LF
8' WELDED WIRE FABRIC FENCE		1,523	LF
ARROW, PREF PVMT MRKING T-4 GROOVED		6	EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED		5,212	LF
GRANULAR BACKFILL		404	CY

GROUP 6B BRIDGE AT STA. 126+74.77

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		269 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,790 LB
REMOVE STRUCTURE		1 EACH
AT STA. 118+88		
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.8 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		96 LF
EXPANSION BEARING, TFE TYPE		58 EACH
FIXED BEARING		48 EACH
47BD-4000 CONC FOR BRIDGE		8,035 CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 126+74.77		
STRUC STEEL FOR SUBSTRUCTURE		360 LB
STEEL DIAPHRAGM		61 EACH
FLOOR DRAINS		35 EACH
EPOXY COATED RE-STEEL		1,456,160 LB
SUBSURFACE DRAINAGE MATTING		124 SY
HP 14"X89# STEEL PILING		25,235 LF
ROCK SOCKET		24 LF
5'0" DIAMETER		
DRILLED SHAFT		360 LF
5'6" DIAMETER		
PEDESTRIAN BARRIER RAIL		1,540 LF
DRAINAGE SYSTEM		7 EACH
AT STA.126+74.77		
TEMP BRIDGE SHORING	LUMP	LUMP
2" CONDUIT IN BRIDGE		3,085 LF
4" CONDUIT IN BRIDGE		9,085 LF
1 1/2" CONDUIT IN BRIDGE		4,600 LF
STRIP SEALS		124 LF
6' WELDED WIRE FABRIC FENCE		20 LF
8' WELDED WIRE FABRIC FENCE		1,523 LF
ARROW, PREF PVMT MRKNG T-4 GROOVED		6 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED		5,212 LF
GRANULAR BACKFILL		390 CY

GROUP 6C BRIDGE AT STA. 126+74.77

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		269 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,790 LB
REMOVE STRUCTURE		1 EACH
AT STA. 118+88		
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		96 LF
EXPANSION BEARING, TFE TYPE		58 EACH
FIXED BEARING		48 EACH
47BD-4000 CONC FOR BRIDGE		7,216 CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 126+74.77		
STRUC STEEL FOR SUBSTRUCTURE		360 LB
STEEL DIAPHRAGM		61 EACH
FLOOR DRAINS		35 EACH
EPOXY COATED RE-STEEL		1,370,130 LB
SUBSURFACE DRAINAGE MATTING		124 SY
HP 14"X89# STEEL PILING		2,935 LF
ROCK SOCKET		265 LF
5'0" DIAMETER		
ROCK SOCKET		221 LF

GROUP 6C BRIDGE AT STA. 126+74.77

5'6" DIAMETER DRILLED SHAFT		1,548	LF
5'6" DIAMETER DRILLED SHAFT		926	LF
6'0" DIAMETER PEDESTRIAN BARRIER RAIL		1,540	LF
DRAINAGE SYSTEM		7	EACH
TEMP BRIDGE SHORING	LUMP		LUMP
2" CONDUIT IN BRIDGE		3,085	LF
4" CONDUIT IN BRIDGE		9,085	LF
1 1/2" CONDUIT IN BRIDGE		4,600	LF
STRIP SEALS		124	LF
6' WELDED WIRE FABRIC FENCE		20	LF
8' WELDED WIRE FABRIC FENCE		1,523	LF
ARROW, PREF PVMT MRKNG T-4 GROOVED		6	EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED		5,212	LF
GRANULAR BACKFILL		390	CY

GROUP 6D BRIDGE AT STA. 126+80.00

MOBILIZATION	LUMP		LUMP
REMOVE STRUCTURE AT STA. 126+80		1	EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP		LUMP
IMPACT ATTENUATOR		1	EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP		LUMP
ST LIGHT UNIT SL-S-40-1-0.25		18	EACH
LUMINAIRE, TYPE WL-100		4	EACH
STREET LIGHT CABLE, NO. 2 USE		8,310	LF
STREET LIGHT CABLE, NO. 6 BARE		6,839	LF
STREET LIGHT CABLE, NO. 6 USE		4,288	LF
STREET LIGHT CABLE, NO. 8 USE		4,855	LF

GROUP 10 GENERAL ITEMS

SIGN DAY		6,706	EACH
FLAGGING		1,000	DAY
FIELD OFFICE		1	EACH
TRAINING		3,000	HOUR
MOBILIZATION	LUMP		LUMP
RENTAL OF LOADER, FULLY OPERATED		40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40	HOUR
TEMPORARY SILT CHECK		2,000	LF
TEMPORARY SILT FENCE		2,000	LF
TEMPORARY EARTH CHECK		1,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 210 & 211
FEDERAL PROJECT NO. BR-275-7(186)
LOCATION: US-275, SOUTH OMAHA MAIN BRIDGE TRUSS
COUNTIES: DOUGLAS POTTAWATTAMIE IA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 13, 2007 . At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 10/15/2007 CALENDAR DAYS 958
Price Range \$ 25,000,000 to \$ 40,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 1.0 %

Plans and specifications may be seen beginning August 09, 2007 at the Lincoln Central Office and August 13, 2007 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 PM DATE: August 27, 2007

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	88 SHEETS	\$	22.00

SHEET NO.	
1	TITLE PAGE
2	IOWA SIGNATURE BLOCKS
2T1	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
2A1	PHOTO MAP
2H1-2H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
3 - 4	PLAN & PROFILE SHEETS
5	PAVEMENT MARKING PLANS
6 - 9	ROADWAY LIGHTING PLANS
10	BRIDGE REMOVAL
11 - 78	SPECIAL PLAN 1 STEEL TRUSS BRIDGE STA. 137+35.50
R1 - R4	RIGHT-OF-WAY SHEETS

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 137+35.50 (BUY AMERICA)

FLAGGING	200 DAY
CONCRETE PROTECTION BARRIER	1,135 LF
TRAINING	3,000 HOUR
MOBILIZATION	LUMP LUMP
PIER NO.9 EXCAVATION	LUMP LUMP
PIER NO.10 EXCAVATION	LUMP LUMP
DECK JOINT SEAL, TYPE IV	88 LF

47BD-4000 CONC FOR BRIDGE	8,210	CY
REMOVE STRUCTURE	1	EACH
AT STA. 148+24		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 137+35.50		
FLOOR DRAINS	24	EACH
GRATE TYPE		
FLOOR DRAINS	12	EACH
TUBE TYPE		
EPOXY COATED RE-STEEL	878,125	LB
ROCK SOCKET	340	LF
6'6" DIAMETER		
DRILLED SHAFT	1,090	LF
7'0" DIAMETER		
FOUNDATION INSPECTION HOLES	260	LF
PEDESTRIAN BARRIER RAIL	629	LF
DRAINAGE SYSTEM	2	EACH
AT STA. 137+35.50		
2" CONDUIT IN BRIDGE	1,259	LF
4" CONDUIT IN BRIDGE	3,777	LF
1 1/2" CONDUIT IN BRIDGE	1,888	LF
STRIP SEALS	263	LF
NAVIGATION LIGHTING SYSTEM	1	EACH
CLEARANCE GUAGE	LUMP	LUMP
8' WELDED WIRE FABRIC FENCE	634	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	1,585	LF
LUMINAIRE, TYPE OH-100	10	EACH

GROUP 6 BRIDGE AT STA. 137+35.50 (FOREIGN STEEL ALTERNATE)

FLAGGING	200	DAY
CONCRETE PROTECTION BARRIER	1,135	LF
TRAINING	3,000	HOUR
MOBILIZATION	LUMP	LUMP
PIER NO.9 EXCAVATION	LUMP	LUMP
PIER NO.10 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	88	LF
47BD-4000 CONC FOR BRIDGE	8,210	CY
REMOVE STRUCTURE	1	EACH
AT STA. 148+24		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 137+35.50		
FLOOR DRAINS	24	EACH
GRATE TYPE		
FLOOR DRAINS	12	EACH
TUBE TYPE		
EPOXY COATED RE-STEEL	878,125	LB
ROCK SOCKET	340	LF
6'6" DIAMETER		
DRILLED SHAFT	1,090	LF
7'0" DIAMETER		
FOUNDATION INSPECTION HOLES	260	LF
PEDESTRIAN BARRIER RAIL	629	LF
DRAINAGE SYSTEM	2	EACH
AT STA. 137+35.50		
2" CONDUIT IN BRIDGE	1,259	LF
4" CONDUIT IN BRIDGE	3,777	LF
1 1/2" CONDUIT IN BRIDGE	1,888	LF
STRIP SEALS	263	LF
NAVIGATION LIGHTING SYSTEM	1	EACH
CLEARANCE GUAGE	LUMP	LUMP
8' WELDED WIRE FABRIC FENCE	634	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	1,585	LF
LUMINAIRE, TYPE OH-100	10	EACH

NOTICE TO CONTRACTORS

CALL ORDER 215
FEDERAL PROJECT NO. BR-275-7(187)
LOCATION: US-275, SOUTH OMAHA BRIDGE, IOWA BRIDGE APPROACH
COUNTIES: POTTAWATTAMIE IA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 13, 2007. At that time the bids will be opened and read for BR ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 10/15/2007 CALENDAR DAYS 958
Price Range \$ 12,000,000 to \$ 17,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 09, 2007 at the Lincoln Central Office and August 13, 2007 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 PM DATE: August 27, 2007

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	364 SHEETS	\$	91.00
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2	IOWA SIGNATURE BLOCKS
2T1	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES
2A1-2A3	PHOTO MAPS
2H1-2H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1	POLLUTION PREVENTION PLAN
3 - 5	PLAN & PROFILE SHEETS
6	PAVEMENT MARKING PLANS
7 - 11	ROADWAY LIGHTING PLANS
12 - 172	SPECIAL PLAN 1 NU CONCRETE GIRDER BRIDGE STA. 151+36.50
173 - 348	SPECIAL PLAN 2 STEEL PLATE GIRDER BRIDGE STA. 151+36.50
349 - 350	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE		3,000 TON
CRUSHED ROCK SURFACE COURSE		926 TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000		203 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		21,630 LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
PIER NO.12 EXCAVATION	LUMP	LUMP
PIER NO.13 EXCAVATION	LUMP	LUMP
PIER NO.14 EXCAVATION	LUMP	LUMP
PIER NO.15 EXCAVATION	LUMP	LUMP
PIER NO.16 EXCAVATION	LUMP	LUMP
PIER NO.17 EXCAVATION	LUMP	LUMP
PIER NO.18 EXCAVATION	LUMP	LUMP
PIER NO.19 EXCAVATION	LUMP	LUMP
PIER NO.20 EXCAVATION	LUMP	LUMP
PIER NO.21 EXCAVATION	LUMP	LUMP
PIER NO.22 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		175 LF
EXPANSION BEARING, TFE TYPE		48 EACH
FIXED BEARING		160 EACH
47BD-4000 CONC FOR BRIDGE		10,092 CY
47BD-6000 CONC FOR BRIDGE		751 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE		14,310 LB
STEEL DIAPHRAGM		91 EACH
FLOOR DRAINS		35 EACH
ROCK RIPRAP, TYPE B		655 TON
EPOXY COATED RE-STEEL		2,109,405 LB
SUBSURFACE DRAINAGE MATTING		104 SY
HP 14"X89# STEEL PILING		43,810 LF
STEEL SHEET PILING		2,450 SF
PEDESTRIAN BARRIER RAIL		2,225 LF
DRAINAGE SYSTEM		2 EACH
AT STA. 151+36.50		
2" CONDUIT IN BRIDGE		4,440 LF
4" CONDUIT IN BRIDGE		13,254 LF
1 1/2" CONDUIT IN BRIDGE		4,440 LF
STRIP SEALS		88 LF
6' WELDED WIRE FABRIC FENCE		26 LF
8' WELDED WIRE FABRIC FENCE		2,195 LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED		5,558 LF
GRANULAR BACKFILL		335 CY

GROUP 6A BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE		3,000 TON
CRUSHED ROCK SURFACE COURSE		926 TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000		203 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		21,630 LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		175 LF
EXPANSION BEARING, TFE TYPE		48 EACH
FIXED BEARING		160 EACH
47BD-4000 CONC FOR BRIDGE		8,396 CY
47BD-6000 CONC FOR BRIDGE		751 CY

PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE	14,310	LB
STEEL DIAPHRAGM	91	EACH
FLOOR DRAINS	35	EACH
ROCK RIPRAP, TYPE B	655	TON
EPOXY COATED RE-STEEL	1,914,545	LB
SUBSURFACE DRAINAGE MATTING	104	SY
HP 14"X89# STEEL PILING	2,170	LF
ROCK SOCKET	180	LF
6'0" DIAMETER		
ROCK SOCKET	12	LF
6'6" DIAMETER		
DRILLED SHAFT	3,632	LF
6'6" DIAMETER		
DRILLED SHAFT	344	LF
7'0" DIAMETER		
STEEL SHEET PILING	2,450	SF
PEDESTRIAN BARRIER RAIL	2,225	LF
DRAINAGE SYSTEM	2	EACH
AT STA. 151+36.50		
2" CONDUIT IN BRIDGE	4,440	LF
4" CONDUIT IN BRIDGE	13,254	LF
1 1/2" CONDUIT IN BRIDGE	4,440	LF
STRIP SEALS	88	LF
6' WELDED WIRE FABRIC FENCE	26	LF
8' WELDED WIRE FABRIC FENCE	2,195	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,558	LF
GRANULAR BACKFILL	335	CY

GROUP 6B BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE	3,000	TON
CRUSHED ROCK SURFACE COURSE	926	TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000	203	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	21,630	LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
PIER NO.12 EXCAVATION	LUMP	LUMP
PIER NO.13 EXCAVATION	LUMP	LUMP
PIER NO.14 EXCAVATION	LUMP	LUMP
PIER NO.15 EXCAVATION	LUMP	LUMP
PIER NO.16 EXCAVATION	LUMP	LUMP
PIER NO.17 EXCAVATION	LUMP	LUMP
PIER NO.18 EXCAVATION	LUMP	LUMP
PIER NO.19 EXCAVATION	LUMP	LUMP
PIER NO.20 EXCAVATION	LUMP	LUMP
PIER NO.21 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	263	LF
EXPANSION BEARING, TFE TYPE	64	EACH
FIXED BEARING	64	EACH
47BD-4000 CONC FOR BRIDGE	9,367	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE	14,310	LB
FLOOR DRAINS	35	EACH
ROCK RIPRAP, TYPE B	655	TON
EPOXY COATED RE-STEEL	1,626,850	LB
SUBSURFACE DRAINAGE MATTING	103	SY
HP 14"X89# STEEL PILING	40,345	LF
STEEL SHEET PILING	2,437	SF
PEDESTRIAN BARRIER RAIL	2,225	LF
DRAINAGE SYSTEM	3	EACH
AT STA.151+36.50		
2" CONDUIT IN BRIDGE	4,440	LF
4" CONDUIT IN BRIDGE	13,254	LF
1 1/2" CONDUIT IN BRIDGE	4,440	LF

STRIP SEALS	88	LF
6' WELDED WIRE FABRIC FENCE	26	LF
8' WELDED WIRE FABRIC FENCE	2,195	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,558	LF
GRANULAR BACKFILL	330	CY

GROUP 6C BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	25	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE	3,000	TON
CRUSHED ROCK SURFACE COURSE	926	TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000	203	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	21,630	LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	263	LF
EXPANSION BEARING, TFE TYPE	64	EACH
FIXED BEARING	64	EACH
47BD-4000 CONC FOR BRIDGE	7,965	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE	14,310	LB
FLOOR DRAINS	35	EACH
ROCK RIPRAP, TYPE B	655	TON
EPOXY COATED RE-STEEL	1,469,435	LB
SUBSURFACE DRAINAGE MATTING	103	SY
HP 14"X89# STEEL PILING	2,085	LF
ROCK SOCKET	24	LF
5'0" DIAMETER		
ROCK SOCKET	108	LF
5'6" DIAMETER		
ROCK SOCKET	36	LF
6'6" DIAMETER		
DRILLED SHAFT	660	LF
5'6" DIAMETER		
DRILLED SHAFT	2,316	LF
6'0" DIAMETER		
DRILLED SHAFT	664	LF
7'0" DIAMETER		
STEEL SHEET PILING	2,437	SF
PEDESTRIAN BARRIER RAIL	2,225	LF
DRAINAGE SYSTEM	3	EACH
AT STA.151+36.50		
2" CONDUIT IN BRIDGE	4,440	LF
4" CONDUIT IN BRIDGE	13,254	LF
1 1/2" CONDUIT IN BRIDGE	4,440	LF
STRIP SEALS	88	LF
6' WELDED WIRE FABRIC FENCE	26	LF
8' WELDED WIRE FABRIC FENCE	2,195	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,558	LF
GRANULAR BACKFILL	330	CY

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-S-40-1-0.25	28	EACH
STREET LIGHT CABLE, NO. 2 USE	8,840	LF
STREET LIGHT CABLE, NO. 6 BARE	4,420	LF
STREET LIGHT CABLE, NO. 8 USE	490	LF

GROUP 10 GENERAL ITEMS

SIGN DAY	1,916	EACH
FLAGGING	500	DAY
FIELD OFFICE	1	EACH
TRAINING	3,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR

RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
TEMPORARY SILT CHECK	2,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 220
FEDERAL PROJECT NO. STP-275-7(188)
LOCATION: US-275, SOUTH OMAHA BRIDGE, IOWA GRADING
COUNTIES: POTTAWATTAMIE IA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 13, 2007. At that time the bids will be opened and read for GRAD CULV SEED FENCE ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING BITUMINOUS
START DATE 10/15/2007 CALENDAR DAYS 566
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning August 09, 2007 at the Lincoln Central Office and August 13, 2007 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 PM DATE: August 27, 2007

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	100	SHEETS	\$ 25.00
CROSS SECTIONS (SHEETS X1 THRU X40)	40	SHEETS	\$ 10.00
STANDARD PLANS	21	SHEETS	\$ 5.25

SHEET NO.

1	TITLE PAGE
2	IOWA SIGNATURE BLOCKS
2T1-2T4	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES
2K1-2K6	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2A1-2A3	PHOTO MAPS
2H1-2H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1-2N8	GENERAL INFORMATION
2P1-2P8	CONSTRUCTION PHASING
2L1-2L3	REMOVALS
2L4-2L9	CONSTRUCTION
2L10-2L16	GEOMETRICS
3 - 12	PLAN & PROFILE SHEETS
13 - 16	FENCING
17 - 18	PAVEMENT MARKING PLANS
19 - 21	TYPICAL URBAN TRAFFIC CONTROL PLAN
22 - 25	ROADWAY LIGHTING PLANS
26 - 28	EARTHWORK DATA SHEETS
29 - 31	DRAINAGE STRUCTURE CROSS SECTIONS
32 - 36	SPECIAL PLAN 1C 60" STORM SEWER AT LEVEE
37 - 38	SPECIAL PLAN 2C RELIEF WELLS & GROUND WATER MONITORING WELLS (PIEZOMETERS)
39 - 42	SPECIAL PLAN 3C BEDDING & BACKFILL REQUIREMENTS FOR CULVERT PIPE

43 SPECIAL PLAN 4C EROSION CHECKS (ALL TYPES)
 & FABRIC SILT CHECKS
 44 - 45 SPECIAL PLAN 5C TEMPORARY SILT CHECKS
 46 SPECIAL PLAN 6C REMOVABLE BOLLARD
 R1 - R4 RIGHT-OF-WAY SHEETS
 X1 - X40 CROSS SECTIONS

STANDARD PLANS

301-R9 (3 SHEETS) PAVEMENT DETAILS
 329-R7 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 501-R4 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 710-R4 (2 SHEETS) FENCE DETAILS
 914-R5 PULL BOX DETAIL
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 923 TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION, BORROW		15,693 CY
REMOVAL OF UNSUITABLE MATERIAL		100 CY
WATER		2,962 MGAL
EARTHWORK MEASURED IN EMBANKMENT		200,371 CY
PLACING TOPSOIL		57,112 SY
RIPRAP FILTER FABRIC		36 SY
REMOVE ASPHALT SURFACE		1,426 SY
REMOVE FENCE		2,762 LF
DITCH CLEAN OUT	LUMP	LUMP
AT STA. 167+29.82 TO STA. 175+25.19 RT.		
RELIEF WELL		4 EACH
ABANDON RELIEF WELL		2 EACH
MONITORING WELL		1 EACH
ABANDON MONITOR WELL		2 EACH
REMOVE		1 EACH
STRUCTURE AT STA. 166+17.61 LT.		
REMOVE		1 EACH
STRUCTURE AT STA. 167+31.86 RT.		
REMOVE		1 EACH
& SALVAGE LEVEE GATE		
36" DRIVE PIPE 2,3,4,5,6,7 OR 8		90 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		150 CY
ROCK RIPRAP, TYPE C		65 TON
RESET FENCE		920 LF
COVER CROP SEEDING		4 ACRE
EROSION CONTROL, CLASS 1D		3,218 SY
EROSION CONTROL, CLASS 2C		223 SY
EROSION CHECKS, TYPE HV		24 BALE
FABRIC SILT FENCE, COIR FIBER		2,945 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		833 CY
60" AUTO. FLOOD CONTROL GATE		1 EACH
12" CONCRETE FLARED-END SECTION		2 EACH
24" CONCRETE FLARED-END SECTION		8 EACH
36" CONCRETE FLARED-END SECTION		4 EACH
42" CONCRETE FLARED-END SECTION		2 EACH
60" CONCRETE FLARED-END SECTION		5 EACH
GATEWELL STRUCTURE	LUMP	LUMP
CONCRETE CRADLE		177 LF
12" CULV PIPE 2		46 LF
24" CULV PIPE 2		239 LF
36" CULV PIPE 2		116 LF
60" CULV PIPE 2		118 LF
24" CULV PIPE 2 CLASS IV		144 LF
42" CULV PIPE 2 CLASS IV		176 LF
60" CULV PIPE, 2 CLASS IV		177 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		13 ACRE
MULCH		27 TON

GROUP 7B FENCING

MOBILIZATION	LUMP	LUMP
3' CHAIN-LINK FENCE		2,285 LF
END POST FOR 3' CH-LINK FENCE		9 EACH
CORNER POST FOR 3.0' CH-LNK FENCE		6 EACH
PULL POST FOR 3' CH-LINK FENCE		6 EACH
14' VEHICLE GATE FOR 3' CHAIN-LINK FENCE		2 EACH
40' VEHICLE GATE FOR 3' CH-LNK FENCE		1 EACH
SMOOTH WIRE FENCE		590 LF
REMOVABLE BOLLARD		3 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		1 EACH
ST LIGHT UNIT SL-A-45-1-0.4		4 EACH
ST LIGHT UNIT SL-A-45-1 & 1-0.4		4 EACH
LIGHTING CONTROL CENTER, P		1 EACH
1 1/2" CONDUIT IN TRENCH		1,385 LF
1 1/2" CONDUIT UNDER ROADWAY		65 LF
STREET LIGHT CABLE, NO. 6 BARE		1,450 LF
STREET LIGHT CABLE, NO. 6 USE		2,900 LF

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT		8,609 LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		2,171 TON
QUARRY RUN MATERIAL		665 TON
HANDI SYM PREF PVMT MRKING T-4		3 EACH
FOUNDATION COURSE		1,798 SY
4"		
FOUNDATION COURSE		17,327 SY
12"		
ASPH CONC, TYPE SPL		6,240 TON
TEMPORARY SURFACING		225 SY
10"		

PERF GRADED BINDER (64-28)	336 TON
TACK COAT	1,910 GAL
WATER	78 MGAL
EARTH SHOULDER CONSTRUCTION	37 STA
MEDIAN CONSTRUCTION	12 STA
SUBGRADE PREPARATION	22,978 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	15,848 BDAY
BARRICADE, TYPE III	7,320 BDAY
SIGN DAY	9,056 EACH
CONTRACTOR FURNISHED SIGN DAY	1,830 EACH
PAVEMENT MARKING REMOVAL	4,100 LF
TEMP PVMT MARKING, TYPE PAINT	4,100 LF
FLASHING ARROW PANEL	566 DAY
FLAGGING	200 DAY
INSTALL CONC PROTECT BARRIER	1,135 LF
TRAFFIC CONTROL MANAGEMENT	333 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	100 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100 HOUR
TEMPORARY SILT CHECK	2,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	3 TON

Plan and Informational Proposal Order Form

Projects to be bid on:

September 13, 2007

Document No. _____

<input type="checkbox"/> Check/Cash	Receipt No. _____
<input type="checkbox"/> Advance Plans Account No. _____	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date: _____	
Card No.: _____	

Payment required prior to NDOR completing this order.
 NDOR_Contracts_Online_Orders@dor.state.ne.us FAX: (402) 479-3647

Please indicate:	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No. _____	Comments: _____
<input type="checkbox"/> Mail		
<input type="checkbox"/> Hold		

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code: _____	Date: _____

4-Digit Vendor No.:	Ordered By: _____	Grand Total - Informational Proposals: x \$5.00	
Company:		All plans in letting on CD: x \$25.00	
Street Address:		Grand Total - 1/2 Size Plans: x \$.25	
		Grand Total - Full Size Plans: x \$.50	
PO Box:	City:	State:	Zip Code:
Phone No.:		Fax No.:	
		Subtotal	
		Tax Code	Sales Tax
			%
Processed and Informational Proposals Sent By:	Date:	Plans Filled By Blueprint:	Date:
			Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
200	STP-275-7(184)				
205	BR-275-7(185)				
210 & 211	BR-275-7(186)				
215	BR-275-7(187)				
220	STP-275-7(188)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

