

NOTICE TO CONTRACTORS

CALL ORDER 215
FEDERAL PROJECT NO. BR-275-7(187)
LOCATION: US-275, SOUTH OMAHA BRIDGE, IOWA BRIDGE APPROACH
COUNTIES: POTTAWATTAMIE IA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 13, 2007. At that time the bids will be opened and read for BR ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 10/15/2007 CALENDAR DAYS 958
Price Range \$ 12,000,000 to \$ 17,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 09, 2007 at the Lincoln Central Office and August 13, 2007 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 1:00 PM DATE: August 27, 2007

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	364 SHEETS	\$	91.00
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2	IOWA SIGNATURE BLOCKS
2T1	TYPICAL CROSS SECTIONS
2S1-2S2	SUMMARY OF QUANTITIES
2A1-2A3	PHOTO MAPS
2H1-2H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1	POLLUTION PREVENTION PLAN
3 - 5	PLAN & PROFILE SHEETS
6	PAVEMENT MARKING PLANS
7 - 11	ROADWAY LIGHTING PLANS
12 - 172	SPECIAL PLAN 1 NU CONCRETE GIRDER BRIDGE STA. 151+36.50
173 - 348	SPECIAL PLAN 2 STEEL PLATE GIRDER BRIDGE STA. 151+36.50
349 - 350	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE		3,000 TON
CRUSHED ROCK SURFACE COURSE		926 TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000		203 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		21,630 LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
PIER NO.12 EXCAVATION	LUMP	LUMP
PIER NO.13 EXCAVATION	LUMP	LUMP
PIER NO.14 EXCAVATION	LUMP	LUMP
PIER NO.15 EXCAVATION	LUMP	LUMP
PIER NO.16 EXCAVATION	LUMP	LUMP
PIER NO.17 EXCAVATION	LUMP	LUMP
PIER NO.18 EXCAVATION	LUMP	LUMP
PIER NO.19 EXCAVATION	LUMP	LUMP
PIER NO.20 EXCAVATION	LUMP	LUMP
PIER NO.21 EXCAVATION	LUMP	LUMP
PIER NO.22 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		175 LF
EXPANSION BEARING, TFE TYPE		48 EACH
FIXED BEARING		160 EACH
47BD-4000 CONC FOR BRIDGE		10,092 CY
47BD-6000 CONC FOR BRIDGE		751 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE		14,310 LB
STEEL DIAPHRAGM		91 EACH
FLOOR DRAINS		35 EACH
ROCK RIPRAP, TYPE B		655 TON
EPOXY COATED RE-STEEL		2,109,405 LB
SUBSURFACE DRAINAGE MATTING		104 SY
HP 14"X89# STEEL PILING		43,810 LF
STEEL SHEET PILING		2,450 SF
PEDESTRIAN BARRIER RAIL		2,225 LF
DRAINAGE SYSTEM		2 EACH
AT STA. 151+36.50		
2" CONDUIT IN BRIDGE		4,440 LF
4" CONDUIT IN BRIDGE		13,254 LF
1 1/2" CONDUIT IN BRIDGE		4,440 LF
STRIP SEALS		88 LF
6' WELDED WIRE FABRIC FENCE		26 LF
8' WELDED WIRE FABRIC FENCE		2,195 LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED		5,558 LF
GRANULAR BACKFILL		335 CY

GROUP 6A BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE		3,000 TON
CRUSHED ROCK SURFACE COURSE		926 TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000		203 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		21,630 LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV		175 LF
EXPANSION BEARING, TFE TYPE		48 EACH
FIXED BEARING		160 EACH
47BD-4000 CONC FOR BRIDGE		8,396 CY
47BD-6000 CONC FOR BRIDGE		751 CY

PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE	14,310	LB
STEEL DIAPHRAGM	91	EACH
FLOOR DRAINS	35	EACH
ROCK RIPRAP, TYPE B	655	TON
EPOXY COATED RE-STEEL	1,914,545	LB
SUBSURFACE DRAINAGE MATTING	104	SY
HP 14"X89# STEEL PILING	2,170	LF
ROCK SOCKET	180	LF
6'0" DIAMETER		
ROCK SOCKET	12	LF
6'6" DIAMETER		
DRILLED SHAFT	3,632	LF
6'6" DIAMETER		
DRILLED SHAFT	344	LF
7'0" DIAMETER		
STEEL SHEET PILING	2,450	SF
PEDESTRIAN BARRIER RAIL	2,225	LF
DRAINAGE SYSTEM	2	EACH
AT STA. 151+36.50		
2" CONDUIT IN BRIDGE	4,440	LF
4" CONDUIT IN BRIDGE	13,254	LF
1 1/2" CONDUIT IN BRIDGE	4,440	LF
STRIP SEALS	88	LF
6' WELDED WIRE FABRIC FENCE	26	LF
8' WELDED WIRE FABRIC FENCE	2,195	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,558	LF
GRANULAR BACKFILL	335	CY

GROUP 6B BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		25 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE	3,000	TON
CRUSHED ROCK SURFACE COURSE	926	TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000	203	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	21,630	LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
PIER NO.12 EXCAVATION	LUMP	LUMP
PIER NO.13 EXCAVATION	LUMP	LUMP
PIER NO.14 EXCAVATION	LUMP	LUMP
PIER NO.15 EXCAVATION	LUMP	LUMP
PIER NO.16 EXCAVATION	LUMP	LUMP
PIER NO.17 EXCAVATION	LUMP	LUMP
PIER NO.18 EXCAVATION	LUMP	LUMP
PIER NO.19 EXCAVATION	LUMP	LUMP
PIER NO.20 EXCAVATION	LUMP	LUMP
PIER NO.21 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	263	LF
EXPANSION BEARING, TFE TYPE	64	EACH
FIXED BEARING	64	EACH
47BD-4000 CONC FOR BRIDGE	9,367	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE	14,310	LB
FLOOR DRAINS	35	EACH
ROCK RIPRAP, TYPE B	655	TON
EPOXY COATED RE-STEEL	1,626,850	LB
SUBSURFACE DRAINAGE MATTING	103	SY
HP 14"X89# STEEL PILING	40,345	LF
STEEL SHEET PILING	2,437	SF
PEDESTRIAN BARRIER RAIL	2,225	LF
DRAINAGE SYSTEM	3	EACH
AT STA.151+36.50		
2" CONDUIT IN BRIDGE	4,440	LF
4" CONDUIT IN BRIDGE	13,254	LF
1 1/2" CONDUIT IN BRIDGE	4,440	LF

STRIP SEALS	88	LF
6' WELDED WIRE FABRIC FENCE	26	LF
8' WELDED WIRE FABRIC FENCE	2,195	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,558	LF
GRANULAR BACKFILL	330	CY

GROUP 6C BRIDGE AT STA. 151+36.50

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	25	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
GRAVEL SURFACE COURSE	3,000	TON
CRUSHED ROCK SURFACE COURSE	926	TON
CONC FOR PVMT APPROACHES CLASS 47BD-4000	203	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	21,630	LB
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	263	LF
EXPANSION BEARING, TFE TYPE	64	EACH
FIXED BEARING	64	EACH
47BD-4000 CONC FOR BRIDGE	7,965	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 151+36.50		
STRUC STEEL FOR SUBSTRUCTURE	14,310	LB
FLOOR DRAINS	35	EACH
ROCK RIPRAP, TYPE B	655	TON
EPOXY COATED RE-STEEL	1,469,435	LB
SUBSURFACE DRAINAGE MATTING	103	SY
HP 14"X89# STEEL PILING	2,085	LF
ROCK SOCKET	24	LF
5'0" DIAMETER		
ROCK SOCKET	108	LF
5'6" DIAMETER		
ROCK SOCKET	36	LF
6'6" DIAMETER		
DRILLED SHAFT	660	LF
5'6" DIAMETER		
DRILLED SHAFT	2,316	LF
6'0" DIAMETER		
DRILLED SHAFT	664	LF
7'0" DIAMETER		
STEEL SHEET PILING	2,437	SF
PEDESTRIAN BARRIER RAIL	2,225	LF
DRAINAGE SYSTEM	3	EACH
AT STA.151+36.50		
2" CONDUIT IN BRIDGE	4,440	LF
4" CONDUIT IN BRIDGE	13,254	LF
1 1/2" CONDUIT IN BRIDGE	4,440	LF
STRIP SEALS	88	LF
6' WELDED WIRE FABRIC FENCE	26	LF
8' WELDED WIRE FABRIC FENCE	2,195	LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED	5,558	LF
GRANULAR BACKFILL	330	CY

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-S-40-1-0.25	28	EACH
STREET LIGHT CABLE, NO. 2 USE	8,840	LF
STREET LIGHT CABLE, NO. 6 BARE	4,420	LF
STREET LIGHT CABLE, NO. 8 USE	490	LF

GROUP 10 GENERAL ITEMS

SIGN DAY	1,916	EACH
FLAGGING	500	DAY
FIELD OFFICE	1	EACH
TRAINING	3,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR

RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
TEMPORARY SILT CHECK	2,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF