

January 11, 2008

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office February 12, 2008 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

A BIDDER'S CONFERENCE WILL BE HELD FOR PROJECT STPD-75-4(103) AT THE WINNEGAGO TRIBAL COUNCIL CHAMBERS, 100 BLUFF STREET, IN WINNEBAGO, NE. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. THE INDIAN PREFERENCE EMPLOYMENT AND TRAINING REQUIREMENTS INCLUDING PRE-APPROVAL OF THE EMPLOYEE WAIVER WILL BE DISCUSSED. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 10:30 AM DATE: January 17, 2008

PROJECT STPD-75-4(103) IS SUBJECT TO TRIBAL EMPLOYMENT RIGHTS OFFICE (TERO) TAX AND INDIAN EMPLOYMENT PREFERENCE GOALS.

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Friday, February 1, 2008.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: <http://www.dor.state.ne.us/>

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: NDOR_Contract_Lettings@dor.state.ne.us

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803 Phone: (402) 479-4525
Email: NDOR_Contract_Lettings@dor.state.ne.us

January 1, 2006

NOTICE TO CONTRACTORS

CALL ORDER 300
FEDERAL PROJECT NO. STPD-75-4(103)
LOCATION: US-75, EAST OF WINNEBAGO
COUNTIES: THURSTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on February 12, 2008. At that time the bids will be opened and read for GRAD, CONC PAVE, CULV, ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.5 KILOMETERS
START DATE 03/31/2008 WORKING DAYS 125
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning January 15, 2008 at the Lincoln Central Office and January 15, 2008 at the District Engineer's Office at NORFOLK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

A BIDDER'S CONFERENCE WILL BE HELD AT THE WINNEGAGO TRIBAL COUNCIL CHAMBERS, 100 BLUFF STREET, IN WINNEBAGO, NE. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. THE INDIAN PREFERENCE EMPLOYMENT AND TRAINING REQUIREMENTS INCLUDING PRE-APPROVAL OF THE EMPLOYEE WAIVER WILL BE DISCUSSED. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.
TIME: 10:30 AM DATE: January 17, 2008

THIS PROJECT IS SUBJECT TO TRIBAL EMPLOYMENT RIGHTS OFFICE (TERO) TAX AND INDIAN EMPLOYMENT PREFERENCE GOALS.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	149	SHEETS	\$ 37.25
CROSS SECTIONS (SHEETS X1 THRU X37)	37	SHEETS	\$ 9.25
STANDARD PLANS	19	SHEETS	\$ 4.75

SHEET NO.

1	TITLE PAGE
2T1-2T4	TYPICAL CROSS SECTIONS
2S1-2S3	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2K1	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2W1-2W6	WETLANDS
2H1-2H2	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1-2N2	GENERAL INFORMATION
2N3-2N4	GENERAL INFORMATION (ADDED SHEETS)
2P1-2P20	PHASING PLANS
2L1-2L14	CONSTRUCTION & REMOVALS
2L15-2L25	DRAINAGE
2L26-2L32	GEOMETRICS
2L33-2L34	JOINTS & SPOT ELEVATIONS
3 - 11	PLAN & PROFILE SHEETS
12 - 15	TEMPORARY TRAFFIC CONTROL FOR PHASING
16 - 18	TYPICAL URBAN TRAFFIC CONTROL PLAN
19 - 24	SIGN LOCATION PLAN
25	PAVEMENT MARKING DETAILS
26 - 29	PAVEMENT MARKING PLAN
30	TEMPORARY PAVEMENT MARKING PLAN
31 - 36	ROADWAY LIGHTING PLANS
37 - 41	EARTHWORK DATA SHEETS
42 - 48	DRAINAGE STRUCTURE CROSS SECTIONS

49 - 52 SPECIAL PLAN 1C BEDDING & BACKFILL REQUIREMENTS
FOR CONCRETE PIPE

53 - 54 SPECIAL PLAN 2C 4000 mm X 3500 mm TRIPLE SPAN
RC BOX CULVERT
STA. 327+71.50

55 SPECIAL PLAN 3C AREA INLET WITH BAR

56 - 57 SPECIAL PLAN 4C AREA INLET WITH GRATE

58 - 59 SPECIAL PLAN 5C CURB INLET & JUNCTION BOX

60 - 61 SPECIAL PLAN 6C SAFETY SLOPED END SECTIONS
CORRUGATED METAL & CONCRETE PIPE

62 SPECIAL PLAN 7C COLLARS & ELBOWS FOR CONCRETE PIPES
STA. 337+17.79

63 SPECIAL PLAN 8C CURB RAMPS

64 - 65 SPECIAL PLAN 9C MAILBOX SUPPORT POST

66 SPECIAL PLAN 10C EROSION CONTROL, TYPES "A" & "AA"

67 SPECIAL PLAN 11C EROSION CONTROL, TYPE "AAA"
(OUTLET TREATMENT)

68 SPECIAL PLAN 12C EROSION CHECKS (ALL TYPES)
& FABRIC SILT CHECKS

69 SPECIAL PLAN 13C SILT FENCE DETAILS

70 SPECIAL PLAN 14C TEMPORARY SILT CHECKS

71 SPECIAL PLAN 15C MAILBOX TURNOUT

72 SPECIAL PLAN 16C HIGHWAY DELINEATORS

73 SPECIAL PLAN 17C CONCRETE PLUGS AND FIELD PIPE TAP DETAILS

R1 - R3 RIGHT-OF-WAY SHEETS

X1 - X37 CROSS SECTIONS

STANDARD PLANS

M301-R2 (3 SHEETS) PAVEMENT DETAILS

M329-R4 (4 SHEETS) 200 TO 405 mm CONCRETE PAVEMENT

M410 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES

M435 (3 SHEETS) MANHOLE

M501-R1 EROSION CONTROL

M804 PRECAST CONCRETE R.O.W. MARKER

M914-R1 PULL BOX DETAIL

M920 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

M921-R1 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		4 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		11,145 m3
EXCAVATION (ESTABLISHED QUANTITY)		759 m3
EXCAVATION, BORROW		12,249 m3
WATER		706 kL
RESET RIGHT-OF-WAY MARKERS		30 EACH
RE-ESTABLISH PROPERTY CORNER		5 EACH
REMOVE DELINEATOR UNITS		50 EACH
RIPRAP FILTER FABRIC		152 m2
REMOVE PAVEMENT		10,388 m2
SAWING PAVEMENT		1,095 m
REMOVE ASPHALT SURFACE		1,170 m2
REMOVE DRIVEWAY		172 m2
REMOVE FENCE		75 m
REMOVE AREA INLET		1 EACH
600 mm DRIVE PIPE 2,3,4,5,6,7 OR 8		13 m
600 mm FLARED-END SECTION		2 EACH
ROCK RIPRAP, TYPE B		122 Mg
REMOVE GUARDRAIL		190 m
COVER CROP SEEDING		6 ha

TEMPORARY SEEDING	1 ha
EROSION CONTROL, TYPE A	592 m2
EROSION CONTROL, TYPE AAA	56 m2
EROSION CONTROL, TYPE HV	3,152 m2
EROSION CHECKS, TYPE HV	65 BALE
FABRIC SILT FENCE-LOW POROSITY	665 m
FABRIC SILT FENCE-HIGH POROSITY	28 m

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION		
DELINEATOR, TYPE III		52 EACH
INSTALL CHEVRONS		32 EACH
GRAVEL SURFACE COURSE		185 m3
SPEC SURF CRSE FOR MAILBOX TURNOUTS		93 m2
SURFACING		665 m2
205 mm		
MAILBOX POST		3 EACH
TIE BARS		391 EACH
CONCRETE 47B-25 MEDIAN CURB		163 m
COMB CONC 47B-25 CURB & GUTTER		73 m
CONC 47B-20 SIDEWALKS		2,182 m2
CONC 47B-20 MEDIAN SURFACING		266 m2
CONCRETE CLASS 47B-25 ISLAND NOSE		3 EACH
CONC 47B-25 DRIVEWAY		392 m2
CONC FOR HEADER, 47B-25		2 m3
230 mm DOWELED CONC PVMT, 47B-25		8,774 m2
TEMPORARY SURFACING		3,025 m2
205 mm		
ADJUST MANHOLE TO GRADE		3 EACH
UNDERDRAIN HEADWALL		3 EACH
100 mm NONPERF PIPE UNDERDRAIN		9 m
100 mm PERFORATED PIPE UNDERDRAIN		1,081 m
TYPE B SIGN		15 m2
STRUC STEEL FOR SIGN SUPPORTS		550 kg
600 mm SIGN SUPPORT FOOTING		6 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED		16 EACH
YIELD PREFORMED PVMT MARKING T-4, GROOVE		18 EACH
100 mm WHITE PREF PVMT MRKNG T-4 GROOVED		2,575 m
100 mm YEL PREF PVMT MRKNG, T-4 GROOVED		4,535 m
300 mm YEL PREF PVMT MRKING T-4 GROOVED		150 m
600 mm WHITE PREF PVMT MKING T-4 GROOVED		18 m
HYDRATED LIME FOR ASPHALT MIXTURES		32 Mg
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 Mg
FOUNDATION COURSE		8,774 m2
100 mm		
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(9.5)		50 Mg
ASPH CONCRETE FOR PATCHING, TYPE SP4(9.5)		50 Mg
ASPH CONC, TYPE SP4(9.5)		3,200 Mg
PLACE ASPH CONC FOR DRIVE & INTER SURFACING 150mm		1,754 m2
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		5,988 m2
PERF GRADED BINDER (64-28)		3 Mg
TACK COAT		195 Mg
WATER		13,820 L
EARTH SHOULDER CONSTRUCTION		369 kL
MEDIAN CONSTRUCTION		36 StaM
SUBGRADE PREPARATION		302 m2
COLD MILLING, CLASS 1		18,497 m2
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	11 StaM
SEEDING, TYPE B		LUMP
MULCH		6 ha
		30 Mg

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		1 EACH
REMOVE INLET		4 EACH
CAST IRON COVER & FRAME		627 kg
CAST IRON COVER, FRAME & FLANGE		4,220 kg
CAST IRON GRATE & FRAME		1,014 kg
RECONSTRUCT MANHOLE		6 EACH
MANHOLE		1 EACH
AT STA. 333+63.15 RT.		
MANHOLE		1 EACH
AT STA. 336+21.89 RT.		
MANHOLE		1 EACH
AT STA. 337+18.43 RT.		
MANHOLE		1 EACH
AT STA. 338+42.49 RT.		
MANHOLE		1 EACH
AT STA. 338+55.33 RT.		
MANHOLE		1 EACH
AT STA. 339+54.78 RT.		
MANHOLE		1 EACH
AT STA. 401+97.45 RT.		
MANHOLE		1 EACH
AT STA. 402+14.33 RT.		
MANHOLE		1 EACH
AT STA. 402+17.32 RT.		
REMOVE & SALVAGE FES		1 EACH
REMOVE HEADWALLS FROM CULV		2 EACH
REMOVE SEWER PIPE		14 m
PREPARATION OF STRUCTURE		1 EACH
AT STA. 329+05.74 LT.		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		408 m3
47B-20 CONC FOR INLET & JUNCTION BOXES		45 m3
47B-20 CONC FOR CONCRETE COLLAR		4 m3
47B-20 CONC FOR PIPE PLUG		1 m3
RE-STEEL FOR INLET & JCT BOX		1,766 kg
RE-STEEL FOR COLLARS		82 kg
450 mm FLARED-END SECTION		2 EACH
600 mm FLARED-END SECTION		2 EACH
900 mm FLARED-END SECTION		1 EACH
1350 mm FLARED-END SECTION		1 EACH
750 mm SAFETY SLOPED END SECTION		2 EACH
1200 mm METAL FLARED-END SECTION		2 EACH
INSTALL 1800 mm CONC FES		1 EACH
900 mm RND EQUIV CONCRETE FES		2 EACH
CULVERT SANDFILL		31 m3
JACKING 1350 mm CULV PIPE, 2 CLASS IV		22 m
CURB INLET SEDIMENT FILTER		12 EACH
1350 mm CULV PIPE 2		12 m
1800 mm CULV PIPE 2		4 m
750 mm RD EQUIV CULV PIPE 2		49 m
1350 mm CULV PIPE 2 CLASS IV		22 m
600 mm CULV PIPE 2,5,7,8		19 m
375 mm STORM SEWER PIPE 1,7,8		10 m
450 mm STORM SEWER PIPE 1,7,8		231 m
600 mm STORM SEWER PIPE 1,7,8		213 m
900 mm STORM SEWER PIPE 1,7,8		39 m
1200 mm STORM SEWER PIPE 1		32 m
1200 mm STORM SEWER PIPE 3,4 OR 5		20 m
250 mm STORM SEWER PIPE, TYPE 8		3 m
900 mm RND EQ STORM SEWER PIPE 1		47 m
RELOCATE FIRE HYDRANT		1 EACH

GROUP 4A CULVERT AT STA. 327+71.5 RT.

MOBILIZATION	LUMP	LUMP
REMOVE STRUCTURE		1 EACH
AT STA. 327+70.85 RT.		
EXCAVATION FOR BOX CULVERTS		2,089 m3
47B-20 CONC FOR BOX CULV		549 m3
RE-STEEL FOR BOX CULVERT		29,217 kg

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		4 EACH
ST LIGHT UNIT SL-BT-12.2-3.7-0.25		16 EACH
LIGHTING CONTROL CENTER, R		2 EACH
38 mm CONDUIT IN TRENCH		791 m
38 mm CONDUIT UNDER ROADWAY		37 m
38 mm CONDUIT, JACKED		12 m
STREET LIGHT CABLE, NO. 6 BARE		840 m
STREET LIGHT CABLE, NO. 6 USE		1,680 m
REMOVE LIGHTING UNIT		2 EACH
TYPE WP-9.1		
REMOVE LIGHTING UNIT		1 EACH
TYPE WP-24.4		
REMOVE LIGHTING UNIT		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		12,745 BDAY
BARRICADE, TYPE III		3,120 BDAY
TEMPORARY SIGN DAY		140 EACH
SIGN DAY		8,344 EACH
CONTRACTOR FURNISHED SIGN DAY		1,229 EACH
PAVEMENT MARKING REMOVAL		4,000 m
TEMP PVMT MARKING, TYPE PAINT		10,500 m
TEMP PVMT MARKING SURF PREP		10,500 m
OVERLAY BROKEN LINES		34 StaM
OVERLAY SOLID LINES		69 StaM
TUBULAR POST		210 EACH
FLAGGING		20 DAY
TRAFFIC CONTROL MANAGEMENT		223 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		55 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		55 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		55 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		45 HOUR
TEMPORARY SILT CHECK		150 m
TEMPORARY SILT FENCE		800 m
TEMPORARY EARTH CHECK		150 m
TEMPORARY MULCH		3 Mg

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form
Projects to be bid on:
FEBRUARY 12, 2008

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Payment required for plans prior to NDOR completing this order.
 NDOR_Contracts_Online_Orders@dor.state.ne.us FAX: (402) 479-3647

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Information Proposals
			1/2	Full	
300	STPD-75-4(103)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

